

Products Feature Matrix

Each feature has an indication if it is available in the Delphi (D) and/or the C++Builder (C) personality, or in the HTML5 Builder (H) tool. RAD Studio editions include all three personalities, while single product editions (Delphi and C++Builder) have only the features marked for the corresponding personality. Enterprise+ indicates Enterprise and above editions (Ultimate, Architect). Starter edition is available only for single personalities, not for RAD Studio. See also the notes description at the bottom of this page.

| Feature | Enterprise+ | Professional | Starter |
|---|-------------|-------------------------------|----------------|
| INTEGRATED COMPILERS AND TOOLCHAINS | | | |
| Delphi 32-bit native code optimizing compiler (dcc32), including high performance x86 Assembler | D | D | D |
| Delphi 64-bit compiler (dcc64) | D | D | |
| Delphi command line toolchains for Windows | D | D | D ⁵ |
| Delphi OS X compiler (dccosx) | D | D | |
| Delphi command line toolchains for Mac OS X | D | D | |
| Delphi iOS ARM compiler (dccios32, dcciosarm) | D | D ¹ | |
| Delphi command line toolchains for iOS | D | D ¹ | |
| Introduced in XE8! iOS 64 bit Object Pascal compiler and toolchain | D | D ¹ | |
| Delphi Android ARM compiler for Device (dccaarm) | D | D ¹ | |
| Delphi command line toolchains for Android | D | D ¹ | |
| Embarcadero C++ compiler for Win64 (bcc64) | С | С | |
| Embarcadero C++ compiler for Win32 (bcc32) | С | С | С |
| New in 10 Seattle! C++ 11 CLANG-based compiler for Win32 (bcc32c) | С | С | С |
| Enhanced in 10 Seattle! Upgrade to v3.3 of CLANG and LLVM for Win64 and Win32 | С | С | C⁵ |
| C++ command line toolchains for Windows | С | С | C⁵ |
| C++ OS X compiler (bccosx) | С | С | |
| C++ command line toolchains for OS X | С | С | |
| C++Builder iOS ARM compiler (bcciosarm) | С | C ¹ | |
| C++Builder command line toolchain for iOS | С | C ¹ | |
| Introduced in XE8! iOS 64 bit C++ compiler and toolchain | С | C ¹ | |
| C++Builder Android ARM compiler (bccaarm) | С | C ¹ | |
| C++Builder command line toolchain for Android | С | C ¹ | |
| Introduced in XE8! Support for iOS Universal Apps (including both 32 bit and 64 bit binaries in an app bundle) | C D | C D | |
| APPLICATION PLATFORMS, INTEGRATED FRAMEWORKS, DESIGNERS AND SDKS | | | |
| FMX Application Platform for creating 32-bit Windows applications for Windows 10, Windows 8.x and Windows 7; Server 2008 and 2012. | CD | C D | CD |
| FMX Application Platform for creating 64-bit Windows applications for Windows 10, Windows 8.x and Windows 7; Server 2008 and 2012. | C D | C D | |
| FMX Application Platform for creating OS X 10.9 and 10.10 applications | CD | CD | |
| Enhanced in 10 Seattle! FMX Application Platform for creating native iOS applications for iOS 7.x and iOS 8.x, for both ARMv7 and ARM 64-bit. Supports iOS 8.4. | C D | C ¹ D ¹ | |

Notes.

- X1 = Optional with Mobile Add on Pack in Delphi Professional and C++ Builder Professional, included in RAD Professional
- X^2 = Optional with FireDAC Client/Server pack in Professional editions
- X^3 = Included in RAD Professional. Available only for desktop platforms in Delphi Professional and C++Builder Professional, mobile support is optional with the Mobile Add on Pack
- X⁴ = Limited to local connections in Professional editions, remote connections optional and part of the FireDAC Client/Server pack
- X⁵ = Available only for Win32 platform in Starter edition

| Feature | Enterprise+ | Professional | Starter |
|--|-------------|-------------------------------|---------|
| Enhanced in 10 Seattle! FMX Application Platform for creating native Android ARMv7 applications for Ice Cream Sandwich (4.0.3, 4.0.4), Jelly Bean (4.1, 4.2, 4.3), Kit Kat (4.4), and Lollipop (5.x). Supports Android 5.1.1. | CD | C ¹ D ¹ | |
| New in 10 Seattle! FMX Application Platform support for creating native Android services | D | D ¹ | |
| Enhanced in 10 Seattle! VCL (Visual Component Library) for rapidly building 64-bit applications for Windows 10, Windows 8.x and Windows 7; Windows Server 2008 and 2012. | CD | C D | |
| Enhanced in 10 Seattle! VCL (Visual Component Library) for rapidly building 32-bit applications for Windows 10, Windows 8.x and Windows 7; Windows Server 2008 and 2012. | C D | C D | CD |
| Enhanced in 10 Seattle! Microsoft Windows SDK support for Windows 7, Windows 8 and Windows 10 APIs. Includes support for calling both classic Win32/Win64 APIs and also WinRT APIs. | C D | C D | C D |
| FMX APPLICATION PLATFORM (FIREMONKEY) | _ | _ | _ |
| Introduced in XE7! FireUI multi-device designer for visually building mobile and desktop applications and | | -3 - 3 | - 5 - 5 |
| customize them at design time for different form factors and operating systems | C D | C ³ D ³ | C⁵ D⁵ |
| Introduced in XE7! FireUI multi-device designer ability to make changes on the main user interface that are propagated to other device specific user interfaces and fine tune a device specific form factor without affecting the other views | C D | C³ D³ | C⁵ D⁵ |
| Introduced in XE7! FireUI multi-device designer support for adding additional custom views to the designer | CD | C ³ D ³ | C⁵ D⁵ |
| Introduced in XE8! FireUI Mobile Previews offering a live preview at a glance of the form in the multi-device designer in multiple devices, resolutions, and operating systems you can fully customize | C D | C³ D³ | C⁵ D⁵ |
| Introduced in XE8! FireUI Device Manager, to edit the specifications of the available devices for the multi- device designer and the preview and add more | CD | C³ D³ | C⁵ D⁵ |
| Dozens of UI controls for building FMX applications, covering the most common UI guidelines and including also 3D support, for rapidly building multi-device applications | CD | C³ D³ | C⁵ D⁵ |
| New in 10 Seattle! Mouse-over Hints support for FireMonkey visual controls on desktop | CD | CD | CD |
| New in 10 Seattle! Native style presentation for Windows for Edit and Memo platform controls | C D | C D | CD |
| New in 10 Seattle! FireMonkey controls zOrder support for Windows | CD | CD | CD |
| New in 10 Seattle! Enhance Clipboard support to allow copy/paste of bitmaps | CD | C ³ D ³ | C⁵ D⁵ |
| New in 10 Seattle! Touch animation for Android platform | C D | C ¹ D ¹ | |
| New in 10 Seattle! FireMonkey apps can receive intents, regardless of the source (email, web link, other app). A new Dsample demonstrates this ability. | CD | C ¹ D ¹ | |
| Introduced in XE7! FireMonkey Behavior service for automatically adjusting UI properties to the target operating system standards | CD | C³ D³ | C⁵ D⁵ |
| Enhanced in 10 Seattle! MultiView component to create a UI that adapts to the form factor, from mobile to tablet, from portrait to landscape. Now with specific support for Windows 10 UI. | CD | C³ D³ | C⁵ D⁵ |
| Enhanced in 10 Seattle! Specific TSwitch behavior for Windows 10 UI | CD | CD | CD |
| Enhanced in 10 Seattle! Edit and Calendar ability to dynamically render a platform native UI control on iOS | CD | C ¹ D ¹ | |
| Introduced in XE8! Memo platform controls for iOS for highest input fidelity | CD | C ¹ D ¹ | |
| Enhanced in 10 Seattle! ListView platform controls for iOS | CD | C ¹ D ¹ | |
| Introduced in XE8! Calendar platform controls for iOS | CD | C ¹ D ¹ | |
| Introduced in XE8! Switch platform controls for iOS | CD | C ¹ D ¹ | |
| New in 10 Seattle! ScrollBox platform controls for iOS | CD | C ¹ D ¹ | |
| Introduced in XE8! MapView component for mobile platforms (iOS and Android) supporting platform specific interactive mapping libraries (respectively, by Apple and Google) | CD | C ¹ D ¹ | |
| Introduced in XE8! WebBrowser component for Windows, providing the same components on all platforms | CD | CD | CD |
| Introduced in XE8! WebBrowser component for OS X, like all other platforms | CD | C D | |
| Introduced in XE8! Improved mixing of platform and styled components, with new platform styling options for iOS and controls Z-order improvements (with ControlType property for non-platform controls) | CD | C ¹ D ¹ | |
| Introduced in XE8! ImageList component for FireMonkey, for storing and manipulating multiple images and sub-images in a single component; several components can more pick their graphical elements from the ImageList, rather than a standalone image | CD | CD | CD |
| Introduced in XE8! Enhancements in FireMonkey multimedia support | C D | CD | CD |
| Introduced in XE8! Support for higher resolutions in Camera components | C D | C ¹ D ¹ | |
| Introduced in XE8! Android Lollipop specific style enabled by default (for Android only) | CD | C ¹ D ¹ | |
| Introduced in XE8! FireMonkey Applications Analytics Support* * Requires a specific contract and by-volume fee for storing run-time analytics data and accessing it | C D | C D | C D |

| Feature | Enterprise+ | Professional | Starter |
|---|-------------|-------------------------------|-------------------------------|
| Introduced in XE7! Multi-monitor support for desktop platforms | CD | CD | C⁵ D⁵ |
| Accessibility support for FireMonkey desktop platforms, including JAWS on Windows and VoiceOver on OS X (available as a separate download) | CD | C D | C⁵ D⁵ |
| Introduced in XE7! Immersive full screen mode on Android 4.4 (KitKat) and above | CD | C ¹ D ¹ | |
| Introduced in XE7! Splash screen support for Android, with specific project options matching the iOS ones | CD | C ¹ D ¹ | |
| Introduced in XE7! Form-level multi-touch support for all platforms | CD | C ³ D ³ | C⁵ D⁵ |
| Tint support for buttons and toolbars on iOS and Android (for control surface and controls icons) | CD | C ¹ D ¹ | |
| Google Glass specific style and design support | CD | C ¹ D ¹ | |
| In-app purchase component for iOS and Android, to help monetize your applications | CD | C ¹ D ¹ | |
| Enhanced in XE7! Advertising component for iOS and Android, including AdMob support based on the Google Mobile Ads SDK, also to help you monetize your mobile applications | C D | C ¹ D ¹ | |
| Push notifications support for mobile platforms, to receive remote notifications even if the app is not running | C D | C ¹ D ¹ | |
| Enhanced in XE8! FireMonkey support for App Tethering across desktop and mobile applications, now including both Wifi and Bluetooth support | C D | C ¹ D ¹ | |
| Introduced in XE7! Native Bluetooth APIs (on platforms that fully support the technology) | CD | C ³ D ³ | C⁵ D⁵ |
| Enhanced in 10 Seattle! Bluetooth LE component (on platforms that fully support the technology) | CD | C ³ D ³ | |
| Introduced in XE8! App Tethering extensions and protocol enhancements, including encryption hooks | CD | C D | |
| Enhanced in 10 Seattle! Bluetooth framework improvements and new Bluetooth component for classic Bluetooth connectivity | C D | C D | C⁵ D⁵ |
| Introduced in XE8! Proximity support based on the "beacons" technology (including the iBeacon and AltBeacon standards) for iOS, Android, and OS X | C D | C³ D³ | |
| New in 10 Seattle! New TBeaconDevice class for turning a device on one of the supported platforms into a "beacon" | CD | C ¹ D ¹ | |
| Native message alerts for iOS and Android | CD | C ¹ D ¹ | |
| Custom Pickers for iOS and Android | CD | C ¹ D ¹ | |
| Date Picker for iOS and Android (DateEdit component) | CD | C ¹ D ¹ | |
| Time Picker for iOS and Android | CD | C ¹ D ¹ | |
| Time Picker for Windows and OS X | CD | C ¹ D ¹ | C ⁵ D ⁵ |
| Phone Dialer Support for iOS and Android | CD | C ¹ D ¹ | |
| Built-in text editing mode for Edit and Memo controls on Android, including Cut/Copy/Paste/Zoom | CD | C ¹ D ¹ | |
| Built-in Spell Check Support for text input controls on iOS and Android | CD | C ¹ D ¹ | |
| Built-in text editing mode for styled Edit and Memo controls on iOS, including Cut/Copy/Paste/Zoom | CD | C ¹ D ¹ | |
| New SelectDirectory dialog for desktop platforms | CD | C ¹ D ¹ | |
| Introduced in XE8! InputQuery supporting masked input fields (for password input) | CD | C ¹ D ¹ | |
| Enhanced in 10 Seattle! Notification Center Component for using notifications in your iOS and Android applications, including notification sound and now supporting also Windows 10 Notifications | C D | C ¹ D ¹ | |
| Gesture support for iOS and Android including swipe (pan), tap, tap and hold, double tap and pinch & zoom | C D | C ¹ D ¹ | |
| Native iOS application styling for iPhone and iPad (Retina and non-Retina) | CD | C ¹ D ¹ | |
| Enhanced in XE7! FireMonkey Mobile Application Wizard with header/footer, tabbed, and master detail templates | C D | C ¹ D ¹ | |
| Full set of native iOS and Android styling options for buttons, toolbars, list boxes, sliders, switch controls | CD | C ¹ D ¹ | |
| Enhanced in XE7! Swipe-to-Delete and Pull-to-Refresh on iOS and Android with the ListView component | CD | C ¹ D ¹ | |
| Built-in search filtering for ListView on iOS and Android | CD | C ¹ D ¹ | |
| Built-in search filtering for ListView on Windows and OS X | CD | C D | C⁵ D⁵ |
| Enhanced in XE8! WebBrowser component for loading and displaying web content in your iOS and Android applications (now with corresponding desktop component) | C D | C ¹ D ¹ | |
| Extended ListBox capabilities for iOS and Android, including header/footer/grouped styling, embedded search and expanded LiveBindings support | C D | C ¹ D ¹ | |
| Support for various keyboard types on iOS and Android | CD | C ¹ D ¹ | |
| TMagnifier component for easily zooming in on images and text | CD | C ³ D ³ | C ⁵ D ⁵ |
| Enhanced in XE8! TCameraComponent component for accessing the front and back camera, flash, and more. | C D | C³ D³ | C⁵ D⁵ |

| Feature | Enterprise+ | Professional | Starter |
|---|-------------|-------------------------------|-------------------------------|
| Enhanced in XE7! TabControl with new settings for using tabs as views and a PlatformDefault tab position to automatically adapt tab layout to the current mobile platform | CD | C³ D³ | C⁵ D⁵ |
| Support for TabControl tab icons on Android | CD | C ¹ D ¹ | |
| FireMonkey Frames for designing portions of the UI and repeating them on multiple forms | CD | C D | CD |
| Toggle Device Skin to show/hide mobile device background in the multi-device designer | CD | C ¹ D ¹ | |
| Introduced in XE7! FireMonkey Save State feature for persisting the forms status between sessions (and when the program is stopped by the operating system) | C D | C ¹ D ¹ | |
| Mac OS X Full screen Mode | CD | C D | |
| New in 10 Seattle! Allow the use of IFMXDragDropService to drag data to another applications on OS X | CD | CD | |
| Actions and ActionLists for FireMonkey for better separation of the application logic from the user interface | CD | C ³ D ³ | C ⁵ D ⁵ |
| Ready-to-use action for accessing the camera application on iOS and Android | CD | C ¹ D ¹ | |
| Ready-to-use action for accessing images from the camera roll on iOS and Android | CD | C ¹ D ¹ | |
| Share Sheet support on iOS and Android for sharing content via Messaging, Mail, Facebook, Twitter etc. | CD | C ¹ D ¹ | |
| Slide transition action for TTabControl | CD | C ³ D ³ | C ⁵ D ⁵ |
| FireMonkey control anchors for flexible positioning and sizing of the visual controls | CD | C ³ D ³ | C ⁵ D ⁵ |
| Layout Managers (Flow Layout, Grid Layout) for flexibiel child controls positioning and sizing | CD | C ³ D ³ | C⁵ D⁵ |
| Multimedia support for playing popular video and audio formats | CD | C ³ D ³ | C⁵ D⁵ |
| Location Services component for GPS or triangulation, including geocoding support | CD | C ³ D ³ | C⁵ D⁵ |
| Orientation sensor (gyroscope/compass) on iOS and Android | CD | C ¹ D ¹ | |
| Orientation sensor (gyroscope/compass) on Windows (requires compatible hardware) | CD | CD | CD |
| Motion Sensor component for accelerometer access on iOS and Android | CD | C ¹ D ¹ | |
| Motion Sensor component for accelerometer access on Windows (requires compatible hardware) | CD | CD | CD |
| 3D File Import Support | CD | CD | CD |
| Mac OS X native style and high resolution native Retina Style | CD | CD | |
| Non-Client Area Application Styling for Windows and Mac | CD | CD | C ⁵ D ⁵ |
| Support for Windows 8 gestures | CD | CD | CD |
| Edit control with stylable glyph with built-in style support for search bar, password control and more | CD | CD | CD |
| Animated progress glyphs, including Windows 8 ring | CD | CD | CD |
| StyleLookUp support with preview of available designs for the selected component | CD | CD | CD |
| FireMonkey project templates for Metropolis UI (blank, grid and split layout); | CD | CD | CD |
| Easy one-click Metropolis UI form converter for existing forms | CD | CD | CD |
| Shared external redistributable bitmap style designer for VCL and FMX | CD | CD | CD |
| FireMonkey bitmap based styles | CD | CD | CD |
| Enhanced in 10 Seattle! Bitmap Style Designer enhancement, including new templates for Windows, Mac OS and Android Lollipop styles, ability to create blank styles for different platforms, and to adjust objects for different graphic resolutions | C D | C³ D³ | C⁵ D⁵ |
| Enhanced in 10 Seattle! Improved integrated FireMonkey Style Designer and enhancement to the TStyleBook component to support a collection of styles for various platforms | C D | C³ D³ | C⁵ D⁵ |
| New in 10 Seattle! StyleViewer for Windows 10 Style in Bitmap Style Designer | CD | C ³ D ³ | C ⁵ D ⁵ |
| New in 10 Seattle! Bitmap Links editor, to modifying TBitmapLink properties directly inside the IDE | CD | C³ D³ | C ⁵ D ⁵ |
| Native UI and custom UI control styles | CD | C ³ D ³ | C⁵ D⁵ |
| Improved Text and Memo control performance | CD | C D | CD |
| FireMonkey Visual Form Inheritance | CD | CD | CD |
| Use one shader language for all rendering libraries (OpenGL or 3D) | CD | C D | CD |
| On-screen keyboard support for Windows touch devices | C D | C D | CD |
| VISUAL COMPONENT LIBRARY (VCL) | | | |
| Object-oriented, fully extensible and reusable visual component library (VCL) and applications architecture | CD | CD | CD |
| VCL Form Designer to visually build native Windows applications, with live snap-to hints and layout guidelines | C D | C D | CD |
| Visual Form Inheritance and Form linking to reduce coding and simplify maintenance | CD | CD | CD |
| Frames for building and reusing compound components | CD | C D | CD |
| | | | |

| Feature | Enterprise+ | Professional | Starter |
|---|-------------|--------------|---------|
| Object Repository for storing and reusing forms, Data Modules, and experts | CD | CD | CD |
| Enhanced in 10 Seattle! Object Inspector to set component properties and events | CD | CD | CD |
| Windows components fully integrated with the Windows API | CD | CD | CD |
| VCL library source code to help extending and debugging components | CD | CD | CD |
| New in 10 Seattle! High-DPI Awareness and 4K monitors support, plus Windows 8.1/10 multi-monitor support for VCL applications | C D | C D | CD |
| New in 10 Seattle! New custom VCL controls corresponding to some of the new Windows 10 UI controls, which can also be used on previous version of Windows | C D | C D | C D |
| New in 10 Seattle! New ActivityIndicator VCL control | CD | CD | CD |
| New in 10 Seattle! New SearchBox VCL control | CD | C D | CD |
| New in 10 Seattle! New RelativePanel VCL control | CD | CD | CD |
| New in 10 Seattle! New ToggleSwitch VCL control | CD | CD | CD |
| New in 10 Seattle! New SplitView VCL control | CD | CD | CD |
| New in 10 Seattle! Modern looking SelectDirectory function | CD | CD | CD |
| Introduced in XE8! VCL Font Scaling improvements for higher DPI and higher resolution monitors | CD | CD | CD |
| Introduced in XE8! VCL Applications Analytics Support* * Requires a specific contract and by-volume fee for storing run-time analytics data and accessing it | CD | C D | CD |
| VCL sensor components for Windows tablets | CD | CD | CD |
| Enhanced in XE8! VCL support for App Tethering across desktop and mobile applications, with Wifi and Bluetooth support | CD | CD | |
| Introduced in XE7! Native support for Bluetooth APIs | CD | CD | |
| Introduced in XE7! Bluetooth LE component (requires Windows 8) | CD | CD | |
| Introduced in XE8! VCL App Tethering extensions and protocol enhancements, including encryption hooks | CD | CD | |
| Introduced in XE8! Bluetooth framework improvements and new TBluetooth component for classic Bluetooth | C D | CD | |
| Taskbar component supporting taskbar buttons progress bars, overlay icons, custom buttons, and multiple previews | C D | CD | CD |
| Introduced in XE7! JumpList component for adding custom menus to taskbar buttons | CD | CD | CD |
| VCL support for the Win64 API on Windows operating system | CD | CD | CD |
| VCL Styles: Create VCL applications with enhanced GUI | CD | CD | CD |
| New in 10 Seattle! Windows 10 specific VCL styles, to build applications matching Microsoft's Modern look and feel | C D | C D | CD |
| Create your own custom styles with the VCL Style Designer | CD | CD | CD |
| Support for styling of main menus, popup menus, and system menus | CD | CD | CD |
| New in 10 Seattle! VCL Styling improvements, including support for styling common dialogs and the TWebBrowser component | C D | C D | CD |
| VCL styles including Windows touch tablets optimized styles | CD | CD | CD |
| Enhanced in 10 Seattle! Premium styles including TabletLight, Sky, and Glow VCL styles | CD | CD | CD |
| Theming and styling support for TGrid descendants | CD | CD | CD |
| Integrated gesturing framework with multi-OS support for Windows 8. Gesture Designer enables full control of all gesture design and interaction | C D | C D | CD |
| Gesture components (TGestureListView, TGesturePreview, TGestureRecorder) to build gesture creation and management into VCL based applications | C D | CD | C D |
| Interactive multi-touch gestures for pan, zoom, rotate, tap, double tap, tap and hold (requires multi-touch enabled OS) | CD | CD | C D |
| TTouchKeyboard a virtual keyboard for enhanced non-keyboard interface interactions that support multiple locales and languages | C D | C D | C D |
| Ribbon Controls components for creating Microsoft Office style ribbon interfaces including ribbon, ribbon application menu bar, combobox, toolbar and tips | C D | C D | C D |
| Recently added VCL Components: TCategoryPanelGroup, TButtonedEdit, TLinkLabel, TBalloonHint | CD | C D | CD |
| Enhancements to existing controls: TButton, TEdit, TProgressBar, TListView, TTreeView, TRichEdit, TImageList | C D | C D | C D |
| Full support for PNG image format in TImage and TImageList | CD | C D | CD |
| Icons can be assigned to Bitmaps | CD | C D | CD |

| Feature | Entorprised | Brofossional | Startor |
|---|-------------|--------------|---------|
| | Enterprise+ | Professional | Starter |
| Support for Windows Imaging Component (WIC) including JPEG, TIFF, GIF, PNG, BMP, and HD Photo image formats. RAW camera formats (such as NRW, NEF, CRW, CR2, RW2, ARW, SR2, SRF, ORF, PEF, and DNG) also supported with manufacturer supplied codecs. | C D | CD | CD |
| TlmageList support for all graphics formats contained in Tlmage | CD | CD | CD |
| Import Component wizard to import a type library, ActiveX control or .NET Assembly | CD | CD | |
| Component wizard to create the unit for a new component | CD | CD | CD |
| Standard components including frame, edit, menu, button, label, checkbox, list box, combo box, panel and action list | C D | CD | CD |
| Additional components including graphical buttons, image, shape, scroll box, splitter, buttoned edit, tabs, panels, action toolbar, and color map | C D | C D | CD |
| Win32 components including page control, image list, rich edit, progress bar, date time, calendar, toolbar, tree view and list view | CD | C D | CD |
| System components including timer, paint box, media player, OLE container and DDE | CD | C D | CD |
| Dialog components including open, save, open/save picture, open/save text, font, color, print, printer setup, find, replace and page setup | CD | C D | CD |
| Data Access Controls via datasource and the use of data-aware controls | CD | C D | CD |
| Data Controls including dbgrid, navigator, text, edit, memo, image, listbox, combo box, checkbox, radiogroup, lookup and rich edit | C D | C D | CD |
| TWebBrowser supporting a recent version of the Microsoft IE ActiveX | CD | C D | |
| Task dialog component and enhanced Windows 6.x dialog components for file open and file save | CD | CD | CD |
| | | | |
| COM/DCOM SUPPORT | | | |
| Full COM/ActiveX support enabling transparent access to IDL and code, source control friendly, and allowing total control over implementation of COM and ActiveX objects | C D | C D | CD |
| ActiveX for Win 64 | CD | C D | |
| Wizards support wrapping existing VCL components as ActiveX controls | CD | C D | CD |
| Import .NET assemblies as COM objects in Win32 VCL applications | CD | C D | CD |
| DCOM support | CD | C D | |
| Legacy support for DataSnap/MIDAS COM/DCOM based multi-tier database application framework | CD | C D | |
| Advanced Type Library Editor that manages IDL, making COM development completely transparent. | CD | CD | |
| Support for Automation Object event handling | CD | CD | |
| Create reusable native 32-bit dynamically linked libraries (.DLL), COM controls (.OCX), and standalone COM executable | C D | C D | CD |
| Create reusable native 64-bit dynamically linked libraries (.DLL), COM controls (.OCX), and standalone COM executable | CD | C D | |
| COM Object Wizard | CD | C D | |
| Microsoft ActiveX [®] Control Data binding | CD | CD | |
| Import COM servers as components | CD | C D | |
| | | | |
| VISUAL LIVEBINDINGS | | | |
| Visually connect component properties and data | CD | C D | |
| Easily replace prototype data with real ClientDataSet data with one click | CD | C D | |
| Context sensitive LiveBindings Wizard supporting both dbExpress and FireDAC | CD | C D | |
| Support for QuickBinding components | CD | C D | |
| Ability to visually add and bind to additional component properties | CD | C D | |
| Color coded component properties easily identify bindable members | CD | C D | |
| Zoom control for Visual LiveBindings Designer | CD | C D | |
| Ability to save image of current LiveBindings Designer layout | CD | C D | |
| Hide visual elements on right-click | CD | CD | |
| Integrated Layers Management system for LiveBindings Designer with Photoshop® like layers, allowing you to visually organize and hide set of elements in the LiveBindings Designer | CD | C D | |
| Easily launch the LiveBindings Designer with the right-click 'Bind Visually' command on the form designer | CD | CD | |
| Tools Options support for LiveBindings Designer to show/hide certain components from the visual LiveBindings Designer view and enable/disable Wizard option in right-click menu | C D | C D | |

| Feature | Enterprise+ | Professional | Starter |
|---|-------------|-------------------------------|---------|
| | | | |
| INTEGRATED BUILD TOOLS AND PROJECT SUPPORT | | | |
| IDE support for building and managing projects for 32-bit Windows | CD | CD | CD |
| IDE support for building and managing projects for 64-bit Windows | CD | CD | |
| IDE support for building and managing projects for OS X and targeting OS X builds for Mac OS X App Store | CD | C D | |
| Use MSBuild externally from the IDE to compile very large projects with the Delphi compiler | D | D | D |
| FireMonkey application wizards | CD | CD | CD |
| Enhanced in XE7! Define Android application settings, including supported orientations, and use the new Entitlement lists to include advertising and notifications support in an app | C D | C ¹ D ¹ | |
| Enhanced in XE8! IDE support for adding Java classes to an Android app classes.dex library and customizing it | C D | D ¹ | |
| New in 10 Seattle! Support for Android Services in the IDE, including wizards to create Android Services and to add them to an existing Android app | D | D ¹ | |
| Enhanced in XE8! Java2OP (Java to Object Pascal) API headers translation tool (for Android) | CD | C ¹ D ¹ | |
| Enhanced in XE8! Define info.plist application settings including supported orientations in the IDE | CD | C ¹ D ¹ | |
| Enhanced in 10 Seattle! Deploy apps to the iOS Device (Debug/Ad Hoc/ App Store), now with several iOS device provisioning improvements to simplify the deployment process – including Auto Bundle identifier | C D | C ¹ D ¹ | |
| Define iOS application splash screens and mobile app icons in the IDE | CD | C ¹ D ¹ | |
| Deploy apps to Android devices (Debug/App Store) | CD | C ¹ D ¹ | |
| Enhanced in XE8! Platform Assistant for deploying and debugging across platforms | CD | CD | |
| Introduced in XE7! Platform Assistant Manager Mac OS X tray app that helps managing multiple versions of Platform Assistant (PAServer) | CD | C D | |
| Deployment Manager: Deploy to iOS | CD | C ¹ D ¹ | |
| Deployment Manager: Deploy to Android | CD | C ¹ D ¹ | |
| Deployment Manager: Deploy to OS X, 32-bit Windows and 64-bit Windows | CD | CD | C⁵ D⁵ |
| Introduced in XE7! Automatic inclusion of project files (like media files and resource files) to the Deployment Manager | CD | C D | |
| Project Manager view menu for directory (nested), directory (flat) and list view of files in a project and with an enhanced status bar for more file information. | C D | C D | C D |
| File manipulation and creation through the Project Manager facilities | CD | CD | CD |
| Flexible build system leveraging MSBuild with identical build process from the IDE or command line | CD | CD | CD |
| Enhanced in 10 Seattle! Delphi 1 through XE8 project import and C++Builder 3 through XE8 project import | CD | CD | CD |
| Build Configurations provide flexibility to organize multiple build settings for all compiler, linker options, and platform support | CD | C D | CD |
| Named option sets to save and apply build configurations to any project | CD | CD | CD |
| Share option-sets between build configurations and between projects | CD | CD | CD |
| Multi-select files in the Project Manager | CD | CD | CD |
| File Browser – Windows shell integrated into the IDE | CD | CD | CD |
| Build Events for pre-build and post-build on project and file levels | CD | CD | CD |
| Project dependency checking | CD | CD | CD |
| IDE Studio personality indicator – shows which is active when multiple languages are available | CD | CD | CD |
| Project level build ordering | CD | C D | CD |
| Build/Make from here – Make or build current project and all later projects | CD | CD | CD |
| Additional command line tools include Microsoft Resource Compiler, TDump utility to structurally analyze EXE, OJB, and LIB files, GREP tool, and MAKE tool | C D | C D | C D |
| LANGUAGE AND RUNTIME LIBRARY FEATURES | | | |
| New in 10 Seattle! Support for calling WinRT APIs, thought over 40 specific Object Pascal interface units | D | D | D |
| New in 10 Seattle! Support for Windows 10 Notifications using the NotificationCenter component | CD | CD | CD |
| New in 10 Seattle! Support for contracts, the system mechanism for sharing information with other Windows 10 applications (apps can behave like <i>contract sources</i>) using the new SharingContract component – C++ supported via a Getlt dowload | C D | C D | C D |
| | | 1 | |

| Feature | Enterprise+ | Professional | Starter |
|---|-------------|-------------------------------|---------|
| Introduced in XE7! Parallel Programming library for easy development of asynchronous code and faster | CD | CD | C D |
| multi-core applications, without coding threads manually | _ | | |
| Introduced in XE7! System.Threading unit supporting parallel for loops, tasks scheduling and futures | CD | C D | CD |
| Automatic Reference Counting in iOS and Android ARM compilers | C D | C ¹ D ¹ | |
| Optimized Unicode strings handling in iOS and Android ARM compilers | C D | C ¹ D ¹ | |
| Introduced in XE7! Improved initialization for dynamic arrays and support for mixing and matching constant and dynamic arrays | D | D | D |
| Introduced in XE7! New string-like operations on dynamic arrays including + operator concatenation, Insert and Delete | D | D | D |
| Introduced in XE8! Simplified array initialization and construction for C++ Clang-based compilers | С | С | С |
| Compiler option to treat warnings as errors | D | D | D |
| Delphi and C++ RTL for 32-bit Windows | CD | C D | CD |
| Delphi and C++ RTL for 64-bit Windows | CD | CD | |
| Delphi and C++ packages support for 32-bit applications | CD | CD | C D |
| Delphi packages support in 64-bit Windows | D | D | |
| C++ packages support in 64-bit Windows | С | С | |
| Enhanced in 10 Seattle! Delphi and C++ RTL for OS X (including enhanced OS X C++ exceptions handling) | C D | CD | |
| Delphi and C++ RTL for iOS | C D | C ¹ D ¹ | |
| Introduced in XE8! iOS 64-bit API headers and RTL integration for Delphi and C++ | C D | C ¹ D ¹ | |
| Delphi RTL for Android | D | D | |
| C++ RTL for Android | С | С | |
| DirectX 11 Support on Windows | CD | CD | CD |
| OpenGL 4.3 support | CD | CD | C D |
| ANSI/ISO C++11 and 99 Standard language conformance and Boost support for 64-bit | С | С | |
| #pragma once support that allows for better compatibility with MSVC and also acts as a header guard | С | С | С |
| [[deprecated]] attribute to flag constructs as deprecated | С | С | С |
| Secure C library functions | С | С | С |
| Enhanced compiler switches for XML representation of source code | CD | CD | CD |
| Custom evaluators for C++ Strings types | С | С | С |
| Linker error handling to improve memory management flexibility and resolution | С | С | С |
| Extensible, cross platform, framework agnostic login credentials service | CD | CD | CD |
| Class, record, and intrinsic types helpers | D | D | D |
| Predefined helpers for core types such as string, char, integer and other ordinal types, and floating point types | D | D | D |
| Enhanced in 10 Seattle! Native zip file support. TZipFile class now has a callback to use during the extraction process to know the current progress | C D | C D | C D |
| RTTI for indexed properties and RTL support | D | D | D |
| C++ RTTI compatibility with Delphi | С | С | С |
| Enhanced in XE7! Dinkumware STL for Win64 | С | С | |
| Enhanced in XE7! Boost Libraries for Win64 (available via GetIt) | С | С | |
| Enhanced in XE7! Updated STL support on iOS | С | C ¹ | |
| Boost for OS X | С | С | |
| Dinkumware STL with iterator debugging | С | С | С |
| ANSI/ISO standard library Technical Report 1 | С | С | С |
| Enhanced in XE7! Regular Expressions (Regex) library | C D | C D | C D |
| Object-oriented path, file and directory I/O classes | CD | CD | CD |
| Introduced in XE8! Box2D physics engine, for manipulating on-screen objects according to the rules of physics | C D | C ³ D ³ | |
| | D | D ³ | |
| Introduced in XE8! Object Pascal interfaces for the Box2D physics engine | | | |
| Introduced in XE8! Object Pascal interfaces for the Box2D physics engine Reflection support for exposure of Methods, Fields, and Properties to support dynamic invocations and other meta-programming approaches (Enhanced RTTI) | D | D | D |

| Feature | Enterprise+ | Professional | Starter |
|--|-------------|-------------------------------|---------|
| TStringBuilder for easier and faster string concatenation | CD | CD | CD |
| Enhanced in XE7! Generics with full RTL list and collection support | D | D | D |
| New in 10 Seattle! JSON (JavaScript Object Notation) processing using a JSON.NET implementation for JSON streaming with new readers and writers (including base TJsonReader and TJsonWriter classes) | C D | C D | CD |
| New in 10 Seattle! Specialized JSON readers and writers, including the new TJsonTextReader and TJsonTextWriter classes, and support for Extended JSON | C D | C D | CD |
| New in 10 Seattle! Binary JSON (BSON) readers and writers support, as part of the same JSON.NET architecture (including the new TBsonReader and TBsonWriter classes) | C D | C D | CD |
| New in 10 Seattle! JSON and BSON fluent method builders, including the TJSONArrayBuilder and TJSONObjectBuilder classes | C D | C D | CD |
| New in 10 Seattle! JSON and BSON fast forward-only iterator (TJSONIterator) | CD | CD | CD |
| Introduced in XE7! New System.NetEncoding RTL unit for Web encoding and decoding (Base64, HTML, URL) | CD | C D | CD |
| Introduced in XE8! New System.Hash RTL unit, with hash functions to support the new HTTP framework | CD | CD | CD |
| Introduced in XE8! New HTTP client framework, mapped to platforms libraries on all supported platforms, including also platform HTTPS support (with no need to deploy the OpenSLL library) | CD | C D | CD |
| Introduced in XE8! New NetHTTPClient and NetHTTPRequest components, offering easy access to the HTTP client framework | CD | CD | CD |
| Introduced in XE8! Support for native HTTP(S) client libraries on Windows | CD | CD | CD |
| Introduced in XE8! Support for native HTTP(S) client libraries on OS X | CD | CD | |
| Introduced in XE8! Support for native HTTP(S) client libraries on mobile platforms (iOS and Android) | C D | C ¹ D ¹ | |
| Support for localized resources | CD | CD | CD |
| Improved standard C++ heap manager | С | С | С |
| Optimized string/memory handling functions | С | С | С |
| UnicodeString type as the default string type and support for Unicode char manipulation | D | D | D |
| UnicodeString class and Unicode character types char16_t and char32_t | С | С | С |
| Move semantics with rvalue references | С | С | С |
| Explicit conversion operators | С | С | С |
| Static assertions | С | С | С |
| Full type trait support | С | С | С |
| Extern templates | С | С | С |
| [[final]] and [[noreturn]] attributes | С | С | С |
| Decitype keyword | С | С | С |
| Anonymous methods (or closures) | D | D | D |
| Scoped enumerations | CD | CD | CD |
| Expression evaluation in compiler directives | CD | CD | CD |
| Custom variants with support of your own data types, complex numbers, safe arrays, and passing variants through data sets | CD | C D | CD |
| Variant support for Int64, unsigned types and Unicode strings | C D | C D | CD |
| | | | |
| PERSONAL DEVELOPER PRODUCTIVITY | | | |
| New in 10 Seattle! IDE built with large memory address model, to provide significantly more memory to the embedded compilers, integrated debuggers, and various tools executed in the IDE process | CD | C D | CD |
| New in 10 Seattle! Redesigned compiler unit caching mechanism, to free older units in case the available memory is begin filled up, when compiling project groups with multiple projects | C D | CD | CD |
| New in 10 Seattle! Improved multi-monitor support in the IDE, with the ability to place most forms and panes on different secondary monitors | C D | C D | CD |
| New in 10 Seattle! Form designer option to hide/show non-visual controls icon (reducing form design potential clutter) | C D | C D | CD |
| New in 10 Seattle! Structure View Icons representing the corresponding component | CD | CD | CD |
| New in 10 Seattle! Unsaved file auto-recovery – unsaved work is periodically saved to a temporary location. If the IDE closes ungracefully (because of a system crash) the IDE will attempt to recover the user's unsaved work | CD | CD | CD |
| New in 10 Seattle! Enhanced IDE Project Options to easily enable High-DPI Awareness in your applications | CD | C D | CD |

| Feature | Enterprise+ | Professional | Starter |
|---|-------------|--------------|---------|
| New in 10 Seattle! Full customization of the Object Inspector layout, with the ability of hiding the description | CD | C D | CD |
| panel, the quick actions, and the new filter panel | | | _ |
| New in 10 Seattle! Object Inspector contents can be filtered to display specific elements | CD | CD | CD |
| Introduced in XE8 Update 1! Community Toolbar | CD | CD | CD |
| New in 10 Seattle! Shortcuts to increase/decrease the size of the font in the code editor | C D | CD | CD |
| Enhanced in 10 Seattle! GetIt Library Manager for easy discovery, download and update of source code libraries, components, and other features from Embarcadero GetIt servers*. Extended with Categories, UI improvements, and new actions * Use of GetIt requires Internet connectivity. The feature is not available to off-line developers. | CD | CD | |
| Introduced in XE8! Configuration settings migration tool, to migrate configurations of older versions of the product to a newer version, or between different installations of the same version | CD | CD | CD |
| Enhanced in XE8 Update 1! Welcome page with a list of favorite projects | CD | CD | CD |
| Enhanced in 10 Seattle! Project statistics information for activity tracking and to better understand team productivity | CD | CD | |
| Enhanced in 10 Seattle! Clipboard history, keeping track of the content of past cut and copy operations, to paste it once more | CD | C D | |
| Enhanced in 10 Seattle! Multi-paste support to let you perform the same paste operation on multiple source code lines at once | CD | C D | |
| Enhanced in 10 Seattle! Structural highlighting | CD | C D | |
| Enhanced in 10 Seattle! Flow control highlighting, to visually see the flow jumps in your code directly in the editor | D | D | |
| Enhanced in 10 Seattle! Code navigation toolbar with classes and methods combo boxes at the top of the editor | C D | C D | |
| Enhanced in 10 Seattle! Integrated smart keys | CD | CD | |
| Enhanced in 10 Seattle! Smart symbol search | D | D | |
| Introduced in XE8! Project Manager enhancements, with the support for adding database files and simplifying their deployment | CD | C D | CD |
| Introduced in XE8! Improved installation experience and reduced installation footprint (with removal of temporary installation files) | CD | CD | CD |
| Introduced in XE7! IDE Guided Tours to learn about new product features | CD | CD | CD |
| Enhanced in 10 Seattle! A set of new examples and demos to help new and existing developers get the most out of the environment | C D | C D | CD |
| Object Gallery Descriptions pane that gives better understanding to the wizard or feature | CD | CD | CD |
| Designer snapshots – copy form images to the clipboard | CD | CD | CD |
| IDE Insight, the fastest way to find and execute commands in the IDE with 1-button click also with object inspector property support | CD | C D | CD |
| Toolbar for IDE Insight search box, for searching in the entire IDE (menus, options, components, files) with few keystrokes | CD | C D | CD |
| Code Formatter and beautification for source code including block formatting | CD | CD | |
| Command-line Code Formatter for integration with automated build processes | CD | CD | |
| Code Formatter profiles allow users to create / save / load custom formatter options sets | C D | CD | |
| Audits and metrics | D | D | |
| Audits for C++ | С | С | |
| Search for Usages command now available from the code editor and Delphi Class Explorer context menus | D | D | |
| Enhanced in XE7! Find Definitions/References in Clang-based C++ compilers (C++ Indexer), supporting the Navigate To command | С | С | |
| Compilation can be done in a background thread | CD | CD | C D |
| New in 10 Seattle! Support for C++ parallel compilation | С | С | С |
| Checkbox for Boolean types in the Object Inspector greatly enhancing readability | C D | CD | C D |
| Property Editors for Date properties now use Calendar controls | C D | CD | CD |
| Added capabilities and configuration to the File Reopen project dialog | C D | CD | CD |
| Use Unit interaction capabilities increased | D | D | D |
| Class Explorer gives configurable hierarchical view of class libraries throughout project. Also enables fast navigation to declarations and implementations, as well as easy addition of fields and methods. | CD | CD | |
| Resource Manager greatly simplifies the addition of resources to projects | CD | CD | CD |
| Alpha channels in icons | C D | CD | CD |

| Feature | Enterprise+ | Professional | Starter |
|---|-------------|--------------|---------|
| Live Code Templates – dynamic scriptable templates streamlines coding complex and common structures and operations. Create or customize code templates and control the behavior, code generation, and user experience of your templates. Surround Templates that can wrap around selected code or text. | CD | C D | |
| Editor "Change Bar" indicates modified lines and saved modified lines | CD | C D | CD |
| "Smart" Block completion – anticipates and gracefully adds block closures as you type | CD | C D | CD |
| Virtual form positioner for VCL designer | CD | C D | CD |
| Introduced in XE8! Virtual form positioner for FireMonkey designer | CD | CD | CD |
| Main toolbar with the addition of Run without Debug option | CD | CD | CD |
| Project Manager now has the ability to run selected applications with either Run or Run without Debug from the context menu. | C D | C D | CD |
| Hot-key Tool Palette w/ Incremental search – find any component quickly | CD | C D | CD |
| Gallery in Tool Palette – find gallery wizards when you need them | CD | C D | CD |
| SyncEdit – block-edit multiple instances of a symbol simultaneously | CD | C D | CD |
| History Manager with automatic multi-level file backups, file differencing and restore | CD | CD | C D |
| Enhanced in XE8! IDE Welcome Page – with direct access to tutorials, code snippets, recent projects, and online help | C D | C D | CD |
| Structure Pane that displays hierarchical view of source code and provides a VCL Object Treeview for quick navigation and manipulation of objects in the VCL designer | C D | C D | C D |
| Syntax Highlighting Open Tools API extension with built in support for JavaScript, PHP, and INI files | CD | CD | CD |
| Ability to individually customize editor options for particular file types | CD | CD | C D |
| Full-featured Open Tools API allows for customization of the IDE through wizards and experts. | CD | CD | C D |
| Symbol Insight – click to navigate to declarations and implementations | CD | CD | |
| Code Insight for C++ and Object Pascal languages, offering code and parameter completion providing on- the-fly member lists and parameter hints as you type | C D | C D | C D |
| Code Insight – Code completion for DTD described markup language including HTML, WML, XHTML, and XSL | C D | C D | |
| Code Folding configuration and properties | CD | CD | |
| Editor Gutter – easier to read with less clutter | CD | CD | CD |
| Code Completion for Object Pascal | D | D | D |
| Enhanced in 10 Seattle! New and significantly faster engine for Code Completion for the C++ language | С | С | С |
| Code Completion for HTML, XHTML, XSL, and CSS | CD | CD | |
| Class Completion | D | D | |
| Custom IDE desktop layout profiles with enhanced support for docked windows | CD | CD | CD |
| To-do lists keep your development on track | CD | CD | |
| Crash recovery reporting, enables Embarcadero to understand complex IDE crashes to better serve our customers | C D | C D | CD |
| Help Insight – convenient tooltips provide help snippets as you develop | CD | CD | CD |
| Enhanced in 10 Seattle! Open Tools API to access and customize various features of the IDE, adding new wizards, operate on projects and their various modules, access to the editor and designers, and many other features | C D | C D | C D |
| SOURCE CODE MANAGEMENT | | | |
| Enhanced in XE8! Version Insight – Integrated framework for supporting source code management tooling inside the IDE | C D | C D | C D |
| Enhanced in XE7! Subversion integration into the IDE, including change list labels, SVN merge dialog, branches switching and more | CD | C D | CD |
| Subversion/History integration | CD | C D | CD |
| A full default Diff viewer | CD | CD | |
| Enhanced in 10 Seattle! Updated Subversion libraries to 1.8.13 | CD | C D | CD |
| Enhanced in XE8! Git version control integration into the IDE, now including authentication, Push and Pull changes to and from remote repositories | C D | C D | CD |
| Introduced in XE8! Mercurial version control integration into the IDE (supports cloning your remote repository, commit changes locally, show log data) | C D | C D | CD |
| Version Insight also available as an open source project | CD | CD | CD |
| | | | |

| Netcode-enabled development environment C D | Feature | Enterprise+ | Professional | Starter |
|--|---|-------------|--------------|---------|
| Unicode-enabled development environment C D | INTERNATIONAL DEVELOPMENT | | | |
| UnicodeString type Resource DLL Wizard to create WinS2 resource DLLs for localization C D C D C D C D C D C D C D C D C D External Translation Manager (ETM) to view and edd to No. 1 more and a resource strings C D C D External Translation Manager (ETM) to view and edd to No. 1 more and a resource strings C D C D External Translation Manager (ETM) to view and edd to No. 1 more and a resource strings C D C D External Translation Manager (ETM) to view and edd to No. 1 more and a resource strings C D C D External Translation Manager (ETM) to view and edd to No. 1 more and a resource strings C D C D External Translation Repository provides a database for translations that can be shared across projects C D C D C D External Translation Repository provides a database for translations that can be shared across projects C D C D C D C D External Translation Repository provides a database for translations sections to match (Object Pascal language only) Extract method and change parameters reflactoring, include introduced parameters reflactoring include. Introduced Prototype specifies and that (Object Pascal language only) Extract method and change parameters reflactoring, include introduced Variable. Introduced Field, Intine Variable. Safe Delete, Push Members by Delete Relation of translations and any time, get a UML model view of your source code UML MODELING UML MODELING UML MODELING UML Model Visualization — at any time, get a UML model view of your source code C D C D C D C D C D C D C D C | Unicode-enabled development environment | CD | CD | CD |
| UnicodeString type Resource DLL Wizard to create Win32 resource DLLs for localization CD CD CD Resource DLL Wizard to create Win32 resource DLLs for localization CD CD CD Resource S, and source code Resource S, and source C, and source S, a | | CD | CD | CD |
| Resource PLL Wizard to create Win32 resource DLLs for localization C D C D C D English, German, French, and Japanese translations available for IDE menus and dialogs, compiled units, c D C D Easy switching between languages for the IDE menus, dialogs, and more C D C D Easy switching between languages for the IDE menus, dialogs, and more C D C D Eaternal Translation Environment (TE) to view and edit VCL forms and resource strings C D C D External Translation Manager (ETM) to view and edit VCL forms and resource strings C D C D External Translation Manager (ETM) to view and edit VCL forms and resource strings C D C D External Translation Manager (ETM) to view and edit VCL forms and resource strings C D C D Extract method repository provides a database for translations that can be shared across projects C D C D Extract method and change parameters refactoring, including support for generic types D D D Extract method and change parameters refactoring, including support for generic types D D D Extract method and change parameters refactoring, including support for generic types D D D Extract method and change parameters refactoring, including support for generic types D D D Extract method and change parameters refactoring, including support for generic types D D D Extract method and change parameters refactoring, including support for generic types D D D Extract method and change parameters refactoring, including support for generic types D D D Extract method and change parameters refactoring, including support for generic types D D D Debugger parameters refactoring, including support for generic types D D D Extract method and change parameters refactoring, including support for generic types D D D Debugger parameters refactoring includes introduce Vision for the method type for general types D D D Extract method and change parameters refactoring, including t | | CD | CD | CD |
| resources, and source code Solutions and a solution and a solution and solutions and advanced to comment (ITE) to view and edit language resource strings CD CD CD Translation Repository provides a database for translations that can be shared across projects CD CD CD Translation Repository provides a database for translations that can be shared across projects New in 10 Seatted Prototype synchronization – as you change the prototype for a function, you can use this feature to synchronize the interface and implementation sections to match (Object Pascal language only) Solution and change parameters refactoring, including support for generic types DD | | | | - |
| resources, and source code Solutions and a solution and a solution and solutions and advanced to comment (ITE) to view and edit language resource strings CD CD CD Translation Repository provides a database for translations that can be shared across projects CD CD CD Translation Repository provides a database for translations that can be shared across projects New in 10 Seatted Prototype synchronization – as you change the prototype for a function, you can use this feature to synchronize the interface and implementation sections to match (Object Pascal language only) Solution and change parameters refactoring, including support for generic types DD | English, German, French, and Japanese translations available for IDE menus and dialogs, compiled units. | | | 0.0 |
| Integrated Translation Environment (ITE) to view and edit VCL forms and resource strings | | СБ | СБ | СБ |
| External Translation Manager (ETM) to view and edit language resource files outside the IDE | Easy switching between languages for the IDE menus, dialogs, and more | CD | CD | |
| Translation Repository provides a database for translations that can be shared across projects REFACTORINGS New in 10 Seattle Prototype synchronization —as you change the prototype for a function, you can use this feature to synchronize the interface and implementation sections to match (Object Pascal language only) Extract method and change parameters refactoring, including support for generic types Refactor driven Find References OD D DE Refactor driven Find References OD D D D D D D D D D D D D D | Integrated Translation Environment (ITE) to view and edit VCL forms and resource strings | CD | C D | |
| New in 10 Seattle Prototype synchronization – as you change the prototype for a function, you can use this feature to synchronize the interface and implementation sections to match (Object Pascal language only) Extract method and change parameters refactoring, including support for generic types D D D Rename refactoring CD CD CD Rename refactoring include: Introduce Variable, Introduce Field, Inline Variable, Safe Delete, Push Members Up Chown, Pull Members Up, Extract Superclass, Extract Interface, Move Members, Declare variable, D D D D D D D D D D D D D D D D D D D | External Translation Manager (ETM) to view and edit language resource files outside the IDE | CD | CD | |
| New in 10 Seattle Prototype synchronization — as you change the prototype for a function, you can use hins feature to synchronize the interface and implementation sections to match (Object Pascal language only) Extract method and change parameters refactoring, including support for generic types D D D Refactor driven Find References Che cCD Refactor driven Find References Other refactorings include: Introduce Variable, Introduce Field, Inline Variable, Safe Delete, Push Members Up / Down, Pull Members Up, Extract Superclass, Extract interface, Move Members, Declare Variable, Declare field, Find unitimport namespace, Extract to resource string Refactor driven Find in Files' UMIL Code Visualization — at any time, get a UMIL model view of your source code C D C D C D C D C D C D C D C D C D C | Translation Repository provides a database for translations that can be shared across projects | C D | C D | |
| New in 10 Seattle Prototype synchronization — as you change the prototype for a function, you can use hins feature to synchronize the interface and implementation sections to match (Object Pascal language only) Extract method and change parameters refactoring, including support for generic types D D D Refactor driven Find References Che cCD Refactor driven Find References Other refactorings include: Introduce Variable, Introduce Field, Inline Variable, Safe Delete, Push Members Up / Down, Pull Members Up, Extract Superclass, Extract interface, Move Members, Declare Variable, Declare field, Find unitimport namespace, Extract to resource string Refactor driven Find in Files' UMIL Code Visualization — at any time, get a UMIL model view of your source code C D C D C D C D C D C D C D C D C D C | | | | |
| this feature to synchronize the interface and implementation sections to match (Object Pascal language only) Extract method and change parameters refactoring, including support for generic types D D D Rename refactoring CD CD CD CD Rename refactoring CD D D D CD CD CD CD CD CD | REFACTORINGS | | | |
| Rename refactoring CD CD CD Relator driven Find References DD | this feature to synchronize the interface and implementation sections to match (Object Pascal language | D | D | |
| Refactor driven Find References Other refactorings include: Introduce Variable, Introduce Field, Inline Variable, Safe Delete, Push Members Up / Down, Pull Members Up, Extract Superclass, Extract Interface, Move Members, Declare variable, DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD | Extract method and change parameters refactoring, including support for generic types | D | D | D |
| Other refactorings include: Introduce Variable, Introduce Field, Inline Variable, Safe Delete, Push Members Up. Extract Superclass, Extract Interface, Move Members, Declare relat, Individuor In amespace, Extract to resource string Refactor driven "Find in Files" D | Rename refactoring | CD | CD | |
| Up / Down, Pull Members Up, Extract Superclass, Extract Interface, Move Members, Declare variable, Declare field, Find unliftingnoth amespace, Extract to resource string Refactor driven "Find in Files" UML MODELING UML Code Visualization – at any time, get a UML model view of your source code CD CD Object Pascal code generation from class diagram C++ code generation from class diagram CD CD Object Ancestry; show an object full hierarchy CD CD Ability to load an image into the diagram for annotations and advanced documentation CD CD Sequence diagrams CD CD Collaboration diagrams CD CD Sequence diagrams CD CD Sequence diagrams CD CD Deployment diagrams CD CD Activity diagrams CD CD Activity diagrams CD CD CD CD Activity diagrams CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD | Refactor driven Find References | D | D | |
| UML MODELING UML Code Visualization – at any time, get a UML model view of your source code CD CD Object Pascal code generation from class diagram C++ code generation from class diagram C C C Object Ancestry; show an object full hierarchy Automatic Sequence diagrams generation support D D D Automatic Sequence diagrams generation support D D D Ability to load an image into the diagram for annotations and advanced documentation CD CD Sequence diagrams CD CD Collaboration diagrams CD CD State charts CD CD Deployment diagrams CD CD Activity diagrams CD CD Activity diagrams CD CD COD COD Activity diagrams CD CD CD CD COD Activity diagrams CD CD CD CD COD COD Activity diagrams CD CD COD COD COD COD COD COD C | Up / Down, Pull Members Up, Extract Superclass, Extract Interface, Move Members, Declare variable, | D | D | |
| UML Code Visualization – at any time, get a UML model view of your source code Object Pascal code generation from class diagram C++ code generation from class diagram Cc | Refactor driven "Find in Files" | D | D | |
| UML Code Visualization – at any time, get a UML model view of your source code Object Pascal code generation from class diagram C++ code generation from class diagram Cc | | | 1 | |
| Object Pascal code generation from class diagram D D C++ code generation from class diagram C C Object Ancestry; show an object full hierarchy C D C D Automatic Sequence diagrams generation support D D Ability to load an image into the diagram for annotations and advanced documentation C D C D Sequence diagrams C D C Collaboration diagrams C D C State charts C D C Deployment diagrams C D C Use case diagrams C D C Activity diagrams C D C Use case diagrams C D C Activity diagrams C D C Use case diagrams C D C Activity diagrams C D C Component diagrams C D C Documentation generation from the command-line C D C 80+ Static Code Metrics that allow for deep understanding and analysis of the health of the object domain D C 80+ Static Code Metrics that allow for deep understanding and analysis of the health of the object diagram D <td< td=""><td>UML MODELING</td><td></td><td></td><td></td></td<> | UML MODELING | | | |
| C++ code generation from class diagram C C C Object Ancestry; show an object full hierarchy Automatic Sequence diagrams generation support Ability to load an image into the diagram for annotations and advanced documentation C D C D Sequence diagrams C D C D Sequence diagrams C D C D Sequence diagrams C D C D State charts C D C C D State charts C D C C D State charts C D C C D C D C D State charts C D C C D C D C D State charts C D C D State charts C D C C D State charts State charts C D C D State charts State charts C D C D State charts State charts C D C D State charts State | UML Code Visualization – at any time, get a UML model view of your source code | CD | CD | |
| Object Ancestry; show an object full hierarchy Automatic Sequence diagrams generation support Ability to load an image into the diagram for annotations and advanced documentation C D C D Sequence diagrams C D C D Sequence diagrams C D C D Collaboration diagrams C D C D Sequence diagrams C D C D Collaboration diagrams C D C D State charts C D C D Deployment diagrams C D C D Activity diagrams C D C D Component diagrams C D C D C D C D Component diagrams C D C D C D C D Component diagrams C D C D C D C | Object Pascal code generation from class diagram | D | D | |
| Automatic Sequence diagrams generation support Ability to load an image into the diagram for annotations and advanced documentation C D C D Sequence diagrams C D State charts C D Deployment diagrams C D Use case diagrams C D Component diagrams C D C D C D C D C D C D C D C | C++ code generation from class diagram | С | С | |
| Ability to load an image into the diagram for annotations and advanced documentation C D CD Sequence diagrams C D CD Sequence diagrams C D CD State charts C D CD State charts C D CD Deployment diagrams C D CD Use case diagrams C D CD Activity diagrams C D CD Component diagrams C D CD Component diagrams C D CD Component diagrams C D CD Sequence diagrams C D CD We case diagrams C D CD Component diagrams C D CD Component diagrams C D CD Component diagrams C D CD Sequence diagrams C D CD Component diagrams C D CD Component diagrams C D CD Component diagrams C D CD Run Documentation generation from the command-line But Static Code Metrics that allow for deep understanding and analysis of the health of the object domain D CD Riviat graph enhancements for interactive reporting D CD Run static Metrics from the command-line D D Run static Metrics from the command-line D D C++ Audits Metrics from the code analysis to better understanding 200+ Static Code Audits for deep code analysis to better understand the coding style and approach D C++ Audits C C Advanced C++ audits that include data analysis C C Pointer Analysis for Audits D Import model from Rational® Rose (mdl import) | Object Ancestry; show an object full hierarchy | C D | CD | |
| Sequence diagrams C D Collaboration diagrams C D State charts C D Deployment diagrams C D Use case diagrams C D Component diagrams C D C D Static Code Metrics that allow for deep understanding and analysis of the health of the object domain D Kiviat graph enhancements for interactive reporting D Run static Metrics from the command-line D Run static Metrics from the command-line D C++ Audits Addits for deep code analysis to better understand the coding style and approach D C++ Audits C C Pointer Analysis for Audits D Import model from Rational® Rose (mdl import) | Automatic Sequence diagrams generation support | D | D | |
| Collaboration diagrams C D State charts C D Deployment diagrams C D Activity diagrams C D Component diagrams C D Component diagrams C D Documentation generation Run Documentation generation from the command-line C D Static Code Metrics that allow for deep understanding and analysis of the health of the object domain Niviat graph enhancements for interactive reporting D Run static Metrics from the command-line D Run static Metrics from the command-line D C++ Audits Advanced C++ audits for deep code analysis of the leath of the object domain be command-line Run static Audits from the command-line C D Run static Audits from the command-line C C Run static Audits from the command-line D Run static Code Audits for deep code analysis to better understand the coding style and approach C C Run static Audits from the command-line C D | Ability to load an image into the diagram for annotations and advanced documentation | C D | CD | |
| State charts C D Deployment diagrams C D Use case diagrams C D Activity diagrams C D Component diagrams C D Component diagrams C D Documentation generation C D Run Documentation generation from the command-line C D 80+ Static Code Metrics that allow for deep understanding and analysis of the health of the object domain Kiviat graph enhancements for interactive reporting D Run static Metrics from the command-line D Run static Metrics from the command-line 10 introductory level static code Metrics for understanding the health of the object diagram D Run static Code Audits for deep code analysis to better understanding D C++ Audits C C Advanced C++ audits that include data analysis Run static Audits from the command-line D Run static Audits from the command-line C D Run static Audits from the command-line Run static Audits from Rational® Rose (mdl import) | Sequence diagrams | C D | | |
| State charts C D Deployment diagrams C D Use case diagrams C D Activity diagrams C D Component diagrams C D Component diagrams C D Documentation generation C D Run Documentation generation from the command-line C D 80+ Static Code Metrics that allow for deep understanding and analysis of the health of the object domain Kiviat graph enhancements for interactive reporting D Run static Metrics from the command-line D Run static Metrics from the command-line 10 introductory level static code Metrics for understanding the health of the object diagram D Run static Code Audits for deep code analysis to better understanding D C++ Audits C C Advanced C++ audits that include data analysis Run static Audits from the command-line D Run static Audits from the command-line C D Run static Audits from the command-line Run static Audits from Rational® Rose (mdl import) | Collaboration diagrams | C D | | |
| Use case diagrams CD Activity diagrams CD Component diagrams CD Component diagrams CD Documentation generation Run Documentation generation from the command-line 80+ Static Code Metrics that allow for deep understanding and analysis of the health of the object domain D Kiviat graph enhancements for interactive reporting D Run static Metrics from the command-line D Run static Metrics from the command-line D C+ Audits C Advanced C++ audits that include data analysis Run static Audits from the command-line D Run static Audits from the command-line CD CH Advanced C++ audits that include data analysis Run static Audits from the command-line Run static Audits from the command-line C Run static Audits from Rational® Rose (mdl import) | | C D | | |
| Activity diagrams C D Component diagrams C D Documentation generation Run Documentation generation from the command-line 80+ Static Code Metrics that allow for deep understanding and analysis of the health of the object domain Kiviat graph enhancements for interactive reporting D Run static Metrics from the command-line D Run static Metrics from the command-line D 10 introductory level static code audits for better code understanding D 200+ Static Code Audits for deep code analysis to better understand the coding style and approach C++ Audits C Advanced C++ audits that include data analysis C Pointer Analysis for Audits Run static Audits from the command-line C D Import model from Rational® Rose (mdl import) | Deployment diagrams | C D | | |
| Component diagrams C D Documentation generation Run Documentation generation from the command-line 80+ Static Code Metrics that allow for deep understanding and analysis of the health of the object domain Kiviat graph enhancements for interactive reporting 10+ introductory level static code Metrics for understanding the health of the object diagram P Run static Metrics from the command-line 10 introductory level static code audits for better code understanding 200+ Static Code Audits for deep code analysis to better understand the coding style and approach C++ Audits C C Advanced C++ audits that include data analysis C D Run static Audits from the command-line C D Run static Audits from Rational® Rose (mdl import) | Use case diagrams | C D | | |
| Documentation generation C D Run Documentation generation from the command-line 80+ Static Code Metrics that allow for deep understanding and analysis of the health of the object domain D Kiviat graph enhancements for interactive reporting D 10+ introductory level static code Metrics for understanding the health of the object diagram D Run static Metrics from the command-line D 10 introductory level static code audits for better code understanding D 200+ Static Code Audits for deep code analysis to better understand the coding style and approach D C++ Audits C Advanced C++ audits that include data analysis C Pointer Analysis for Audits Run static Audits from the command-line C Import model from Rational® Rose (mdl import) | Activity diagrams | C D | | |
| Run Documentation generation from the command-line 80+ Static Code Metrics that allow for deep understanding and analysis of the health of the object domain Kiviat graph enhancements for interactive reporting D 10+ introductory level static code Metrics for understanding the health of the object diagram D Run static Metrics from the command-line D 10 introductory level static code audits for better code understanding D 200+ Static Code Audits for deep code analysis to better understand the coding style and approach C++ Audits C Advanced C++ audits that include data analysis C Pointer Analysis for Audits Run static Audits from the command-line C D Import model from Rational® Rose (mdl import) | Component diagrams | C D | | |
| 80+ Static Code Metrics that allow for deep understanding and analysis of the health of the object domain Kiviat graph enhancements for interactive reporting D 10+ introductory level static code Metrics for understanding the health of the object diagram D Run static Metrics from the command-line D 10 introductory level static code audits for better code understanding D 200+ Static Code Audits for deep code analysis to better understand the coding style and approach C++ Audits C Advanced C++ audits that include data analysis C Pointer Analysis for Audits Run static Audits from the command-line C D Import model from Rational® Rose (mdl import) C D | Documentation generation | C D | | |
| 80+ Static Code Metrics that allow for deep understanding and analysis of the health of the object domain Kiviat graph enhancements for interactive reporting D 10+ introductory level static code Metrics for understanding the health of the object diagram D Run static Metrics from the command-line D 10 introductory level static code audits for better code understanding D 200+ Static Code Audits for deep code analysis to better understand the coding style and approach C++ Audits C Advanced C++ audits that include data analysis C Pointer Analysis for Audits Run static Audits from the command-line C D Import model from Rational® Rose (mdl import) C C C C C C C C C C C C C | Run Documentation generation from the command-line | C D | | |
| Kiviat graph enhancements for interactive reporting 10+ introductory level static code Metrics for understanding the health of the object diagram Run static Metrics from the command-line 10 introductory level static code audits for better code understanding 200+ Static Code Audits for deep code analysis to better understand the coding style and approach C++ Audits C Advanced C++ audits that include data analysis C Pointer Analysis for Audits Run static Audits from the command-line Import model from Rational® Rose (mdl import) D C Import model from Rational® Rose (mdl import) | - | | | |
| 10+ introductory level static code Metrics for understanding the health of the object diagram Run static Metrics from the command-line D 10 introductory level static code audits for better code understanding D 200+ Static Code Audits for deep code analysis to better understand the coding style and approach C++ Audits C Advanced C++ audits that include data analysis C Pointer Analysis for Audits Run static Audits from the command-line C D Import model from Rational® Rose (mdl import) | | D | | |
| Run static Metrics from the command-line 10 introductory level static code audits for better code understanding 200+ Static Code Audits for deep code analysis to better understand the coding style and approach C++ Audits C Advanced C++ audits that include data analysis C Pointer Analysis for Audits Run static Audits from the command-line Import model from Rational® Rose (mdl import) D C D C D C D C D C D C D C D C D C D D | | | D | |
| 10 introductory level static code audits for better code understanding 200+ Static Code Audits for deep code analysis to better understand the coding style and approach C++ Audits C Advanced C++ audits that include data analysis C Pointer Analysis for Audits Run static Audits from the command-line Import model from Rational® Rose (mdl import) D C C D C C C C C C C C C | | D | | |
| 200+ Static Code Audits for deep code analysis to better understand the coding style and approach C++ Audits Advanced C++ audits that include data analysis C Pointer Analysis for Audits Run static Audits from the command-line Import model from Rational® Rose (mdl import) C D C C C C C C C C C C C | | | D | |
| C++ Audits Advanced C++ audits that include data analysis C Pointer Analysis for Audits Run static Audits from the command-line Import model from Rational® Rose (mdl import) C C C C C C C C C C C C C | | D | | |
| Advanced C++ audits that include data analysis C Pointer Analysis for Audits Run static Audits from the command-line C D Import model from Rational® Rose (mdl import) C D | | С | | |
| Pointer Analysis for Audits Run static Audits from the command-line C D Import model from Rational® Rose (mdl import) C D | | | | |
| Run static Audits from the command-line C D Import model from Rational® Rose (mdl import) C D | | | | |
| Import model from Rational® Rose (mdl import) | | | | |
| | | | | |
| | Language neutral UML 1.5 modeling | CD | | |

| Feature | Enterprise+ | Professional | Starter |
|---|-------------|-------------------------------|---------|
| Language neutral UML 2.0 modeling | CD | | |
| Transformation from language neutral UML 1.5 and UML 2.0 projects to source code projects | CD | | |
| Design Patterns support, including GOF patterns | CD | | |
| Diagram printing | CD | CD | |
| XMI 1.1 Import/Export | CD | 0.5 | |
| Full two-way class diagrams with synchronization between code and diagrams | CD | | |
| OCL 2.0 support | CD | C D | |
| "UML in Color" profile | CD | CD | |
| Diagram hyper-linking and annotations | CD | CD | |
| Diagram Typer-intking and annotations | CD | СВ | |
| INTEGRATED DEBUGGING | | | |
| Full-featured debugger with color syntax highlighting | CD | CD | C D |
| Debug remote and local 64-bit Windows applications | CD | CD | |
| Debug remote OS X applications | CD | CD | |
| Remote iOS device debugging | CD | C ¹ D ¹ | |
| New in 10 Seattle! Remote iOS 64-bit device debugging | CD | C ¹ D ¹ | |
| Android device debugging | CD | C ¹ D ¹ | |
| Debugging visualizers to enable extended views of debugging data | CD | CD | |
| Build debugger visualizers for your own custom data types | CD | C D | |
| Debug visualizer for TString types | CD | CD | |
| Debug visualizers for TDateTime, TDate, and TTime | CD | CD | |
| Detach from "Debug session in progress. Terminate?" dialog | CD | CD | CD |
| Multi-threaded-debugging the ability to selectively "Freeze" and "Thaw" threads | CD | CD | |
| Multi-threaded-debugging the ability to set a breakpoint for a selected thread | CD | CD | |
| Support for Wait Chain Traversal on Windows | CD | CD | |
| Disassembly pane has "Show Opcodes" and "Show Addresses" local menu items | CD | CD | CD |
| New Debugger Options: "Scroll new events into view" and "Ignore non-user breakpoints" | CD | CD | |
| Call Stack View shows a glyph indicating if the frame has debug info | CD | CD | |
| CPU view panes can be opened individually outside of an editor tab | CD | CD | |
| Integration between debugger views and panes making it easier to find and understand information | CD | CD | |
| Call Stack view now automatically syncs the Locals view when you double click an item | CD | CD | |
| Evaluator tooltip hints go transparent when the CTRL key is pressed, allowing you to see through them to the editor | C D | C D | |
| Expandable tooltip expression evaluation | CD | C D | |
| Expandable watches | CD | C D | |
| Expandable local variables view | CD | CD | |
| | CD | CD | |
| Selective symbol table loading Close implicitly opened files after debugging | CD | CD | C D |
| Close implicitly opened files after debugging Multi-solect and copy to clipboard support in CPLI view | CD | CD | CD |
| Multi-select and copy to clipboard support in CPU view | - | CD | CD |
| Ctrl-Click in editor gutter to enable/disable breakpoints | C D | | CD |
| Sort by load order in Modules view | - | C D | |
| Set Next Statement local menu item in editor | CD | C D | C D |
| Exception notification dialog: Break/Continue buttons, "Ignore exception type" checkbox | CD | C D | C D |
| Modules View sorting | CD | C D | |
| Remote debugging | CD | C D | |
| CodeGuard debugger support (32-bit only) for C++ | С | С | |
| Thread view displays status on all processes and threads under debugger control | CD | C D | |
| CPU view for low-level debugging | CD | C D | CD |
| Evaluator | CD | C D | CD |
| Multi-Process debugging for easy tracing through complex applications | CD | CD | |

| Feature | Enterprise+ | Professional | Starter |
|--|-------------|-------------------------------|---------|
| Breakpoint view with toolbar, in-place editing, and enable/disable checkbox | CD | CD | CD |
| Watch view supporting in place editing, checkbox enable/disabling, and the watch names separated from the values with columns | C D | C D | CD |
| Multi-tab watch view for logically grouping variables | CD | C D | CD |
| Attach to and debug any process | CD | C D | |
| Detach from any process | CD | CD | |
| Run until return | CD | CD | |
| Advanced breakpoints with Tooltips, actions, and groups for complete debugging control | CD | CD | |
| Breakpoint Data Aware Triggers | CD | CD | |
| Debug spawned processes | CD | CD | |
| Debug Inspector for easily monitoring properties while debugging | CD | CD | |
| Event log view | CD | CD | |
| INTEGRATED UNIT TESTING | | | |
| Introduced in XE8! Integrated unit testing with the DUnitX testing framework | CD | CD | |
| New in 10 Seattle! DUnitX unit testing support for mobile platforms (iOS and Android) | CD | C ¹ D ¹ | |
| Runtime support for the DUnit testing framework | CD | CD | |
| Updated in XE8! Unit test wizards for quick and easy unit test and unit test project creation | CD | CD | |
| Execute unit tests from project manager | CD | CD | |
| | | | |
| DOCUMENTATION | | | |
| Introduced in XE8! Support for CHM help engine and new IDE help structure | CD | CD | CD |
| Continually updated help system with diagrams showing class hierarchy and declared members pages | CD | CD | C D |
| Help installer re-integrated in the main installer | CD | C D | CD |
| DATABASE APPLICATION DEVELOPMENT AND CONNECTIVITY | | | |
| Powerful cross-platform and multi-database DB access architecture, based on TDataSet class, field definitions, fields and parameters managements | C D | C D | |
| Support for multiple TDataSet descendant classes shipping with the product or available form third-party vendors | C D | C D | |
| Introduced in XE8! Core DB.PAS TField optimizations | CD | C D | CD |
| Control of the automatic and persistent fields of a data set using the new FieldOptions and FieldLifeCycle features | CD | C D | |
| DBEXPRESS AND IBX | _ | _ | |
| dbExpress™ 4 database connectivity framework with connection pooling, tracing, and delegate drivers | CD | CD | |
| Included dbExpress drivers available for 64-bit Windows – InterBase local, MySQL local, and SQLite local | | | |
| only | CD | C D | |
| Included dbExpress drivers available for 64-bit Windows – InterBase, Firebird, Oracle, MySQL, SQL Anywhere, Informix, and SQLite | CD | | |
| Included dbExpress drivers available for OS X – InterBase local, MySQL local, and SQLite local only | CD | CD | |
| Included dbExpress drivers available for OS X – InterBase, Firebird, Oracle, MySQL, SQL Anywhere, Informix, and SQLite | CD | | |
| SQLite dbExpress client support for iOS | CD | C ¹ D ¹ | |
| InterBase Express (IBX) for iOS | CD | C ¹ D ¹ | |
| SQLite dbExpress client support for Android | CD | C ¹ D ¹ | |
| InterBase Express (IBX) for Android | CD | C ¹ D ¹ | |
| SQLite dbExpress client support for Windows and Mac OS X | CD | | |
| TSQLMonitor support | CD | | |
| Integrated support for sample InterBase database for quick app prototyping | CD | | |
| Delegate drivers to provide pre- and post-processing of all public methods and properties of the dbExpress 4 framework | CD | | |
| dbExpress server connectivity to Embarcadero InterBase® XE7 and XE3 | CD | | |

| Feature | Enterprise+ | Professional | Starter |
|--|-------------|-------------------------------|---------|
| InterBase ToGo dbExpress driver for iOS and Android | CD | $C^1 D^1$ | |
| InterBase ToGo dbExpress driver for Windows | CD | C D | |
| InterBase ToGo 64-bit ODBC driver for Windows | CD | CD | |
| dbExpress server connectivity to SQLite 3.x | CD | | |
| dbExpress Server connectivity to Firebird 2.5, 2.1 and 1.5 | CD | | |
| dbExpress server connectivity to Oracle® 11g and 10g | CD | | |
| dbExpress server connectivity to Microsoft SQL Server® 2008, 2005, and 2000 | CD | | |
| dbExpress server connectivity to Informix® 9x (not Unicode-enabled) | CD | | |
| dbExpress server connectivity to IBM DB2® 9.x (not Unicode-enabled) | CD | | |
| dbExpress server connectivity to SQL Anywhere [™] 12 and 11 (Unicode-enabled); and SQL Anywhere 9 (not Unicode-enabled) | C D | | |
| dbExpress server connectivity to Sybase® 12.5 (not Unicode-enabled) | CD | | |
| dbExpress server connectivity to MySQL 5.1 and 5.0 (Unicode enabled) and 4.1 | CD | | |
| dbExpress ODBC Driver | CD | | |
| dbExpress local connectivity to InterBase | CD | CD | |
| dbExpress local connectivity to MySQL | CD | CD | |
| dbExpress local connectivity to SQLite | CD | CD | |
| Data/Time related functions are now locale dependent | CD | CD | |
| TClientDataset for managing and manipulating datasets in-memory | CD | CD | |
| TClientDataSet support for iOS and Android | CD | C ¹ D ¹ | |
| MIDAS.DLL source code included | CD | C D | |
| ClientDataSet support for OS X | CD | C D | |
| ClientDataSet support for 64-bit Windows | CD | C D | |
| MyBase XML dataset support (ClientDataSet local storage) | CD | C D | |
| LiveBindings connect any type of data to any UI or graphical element in VCL and FMX | CD | C D | |
| dbGO™ for ADO connectivity for Windows (MDAC 2.8) | CD | C D | |
| InterBase Express Components | CD | C D | |
| | | | |
| FIREDAC MULTI-DEVICE DATA ACCESS LIBRARY | | 1 | |
| New in 10 Seattle! Complete FireDAC support for the NoSQL MongoDB database, including a new FireDAC MongoDB driver | CD | C ² D ² | |
| New in 10 Seattle! MongoDB API wrapping classes, including TMongoConnection, TMongoDatabase, TMongoCollection and more | CD | C ² D ² | |
| New in 10 Seattle! MongoDB query, pipeline, update commands, and more with fluent methods builders | CD | C ² D ² | |
| New in 10 Seattle! MongoDB specific datasets, inlcuding TFDMongoDataSet (which allows to attach dataset to MongoDB cursor), TFDMongoQuery (which allows to execute queries to MongoDB collection) and TFDMongoPipeline (which allows to execute pipelines to MongoDB collection) | C D | C ² D ² | |
| Introduced in XE8! FireDAC Teradata database support, based on the Teradata database ODBC driver | CD | C ² D ² | |
| Introduced in XE8! FireDAC support for InterBase XE7 Change Views | CD | C ⁴ D ⁴ | |
| Introduced in XE8! FireDAC support for change notifications | CD | C ⁴ D ⁴ | |
| Introduced in XE8! Improved FireDAC updates management | CD | C D | |
| Introduced in XE8! Tools and scripts to help migration of dbExpress code to FireDAC | CD | $C^2 D^2$ | |
| Introduced in XE7! FireDAC streaming support for blob fields and support for MSSQL file streams | CD | C ⁴ D ⁴ | |
| Introduced in XE7! Support for DBMS API command native timeouts | CD | C ⁴ D ⁴ | |
| Introduced in XE7! FireDAC connection parameters are now displayed in the Object Inspector as a record | CD | C D | |
| Introduced in XE7! New IBLite specific driver for desktop and mobile | CD | C ³ D ³ | |
| MySQL v 5.6 support | CD | C⁴ D⁴ | |
| InterBase encryption connection options | CD | C⁴ D⁴ | |
| Support for Oracle 12 | CD | C ² D ² | |
| Data Access components for Windows and OS X | CD | C D | |
| Data Access components for iOS and Android | CD | C ¹ D ¹ | |

| Windows/Mac celebratives detablates support, including MySQL, Microsoft SQL Server, Croade Databases Microsoft SQL Systaes SQL Anywhere, Microsoft Access, IBM DB2 Server, Friebrid, Advantage Database OD C*D* Windows/Mac native driver for Informix database OD C*D* Source code of the included database drivers Updated in XEB1 CS and Android mobile database support, including SQLite, interdises ToGo and IBLite Support for local distabases, including Microsoft Access databases, SQLite, interdises ToGo and IBLite Updated in XEB1 CS and Android mobile database support, including SQLite, interdises ToGo and IBLite Updated in XEB1 CS and Android mobile databases apport, including SQLite, interdises ToGo and IBLite Updated in XEB1 COR Comprehensive support for SQLIte V3 + databases, including "emart" data type recognition. Updated in XEB1 COR Comprehensive support for SQLIte V3 + databases, including "emart" data type recognition. Updated in XEB1 COR Comprehensive support for MERGE? INSERT OR REPLACE commands and for dinapport, dinapport for MERGE? INSERT OR REPLACE commands and for dinapport, dinapport for MERGE? INSERT OR REPLACE commands and for dinapport, dinapport for MERGE? INSERT OR REPLACE commands and for dinapport, dinapport for MERGE? INSERT OR REPLACE commands and for dinapport, dinapport for MERGE? INSERT OR REPLACE commands and for dinapport, dinapport for MERGE? INSERT OR REPLACE commands and for dinapport dinapport for MERGE? INSERT OR REPLACE commands and for dinapport dinapport for MERGE? INSERT OR REPLACE commands and for dinapport dinapport for MERGE? INSERT OR REPLACE commands and for dinapport dinapport for MERGE? INSERT OR REPLACE commands and for dinapport dinapport or MERGE? INSERT OR REPLACE commands and for dinapport dinapport or databases including new Judges or dinapport or databases in the database in the da | Feature | Enterprise+ | Professional | Starter |
|--|--|-------------|-------------------------------|---------|
| Windows/Mac native driver for Informix database CD C*D* Source code of the included database drivers CD C*D* CD C*D* Updated in XEID (So and Android mobile database support, including SQLite, InterBase ToGo and IBLite CD C*D* Updated in XEID (So and Android mobile database support, including SQLite, InterBase ToGo and IBLite CD C*D* Support for local databases, including Microsoft Access databases, SQLite databases, InterBase ToGo of IBLite, InterBase in Ocal post, Mysoc Comprehensive support for SQLite V3 - databases, including "smart" data type recognition, supporting both dynamic and static linking Updated in XEE Comprehensive support for SQLite V3 - databases, including "smart" data type recognition, supporting both dynamic and static linking Updated in XEE Comprehensive support for WERGE / INSERT OR REPLACE commands and for dinAppend, dimplacet, dinAppendidubtate modes Easy to use Totalaset descendant classes CD CD CD CD Indiffed Data Access API CD CD CD New in 10 Saettlet Improvements of FireDAC cached updates mode, including new UpdateOptions Autocommittuplacets properly and improved compatibility with Cliembataset CD CD CD Indiffed Data Access API CD CD CD CD Indiffed Data Access API CD CD CD CD CD Indiffed Data Access API CD C | Windows/Mac enterprise database support, including MySQL, Microsoft SQL Server, Oracle Database, InterBase, PostgreSQL, Sybase SQL Anywhere, Microsoft Access, IBM DB2 Server, Firebird, Advantage | | | |
| Updated in XEBI IOS and Android mobile database support, including SQLite, InterBase ToGo and IBLite C D C D Support for local databases, including Microsoft Access database, SQLite database, InterBase ToGo C D C D Debugger of the Common Comm | Windows/Mac native driver for Informix database | CD | C ² D ² | |
| Support for local databases, including Microsoft Access databases, SULIIe database, InterBase ToGo / Biblio, InterBase on Local Company (1998). Emerged in Local Index, Advantage Database local engine, PostgreSQL on localhost, Freibrid Embedded, Firebrid on localhost. Updated in VER Comprehensive support for SQLINE v3.4 database, including "mard" data type recognition. CD CD Updated in VER Comprehensive support for SQLINE v3.4 database, including "mard" data type recognition. CD CD CD Updated in VER Comprehensive support for MERGE / INSERT OR REPLACE commands and for of mAppend, drull Updated and support for MERGE / INSERT OR REPLACE commands and for of mAppend, drull Updated (margine) updated in VER Component, with support for MERGE / INSERT OR REPLACE commands and for of mAppend, drull Updated (margine) updated in VER Component, with support for MERGE / INSERT OR REPLACE commands and for CD CD CD Unified Data Access API CC CD | | | | |
| Support for local databases, including Microsoft Access databases, SULIIe database, InterBase ToGo / Biblio, InterBase on Local Company (1998). Emerged in Local Index, Advantage Database local engine, PostgreSQL on localhost, Freibrid Embedded, Firebrid on localhost. Updated in VER Comprehensive support for SQLINE v3.4 database, including "mard" data type recognition. CD CD Updated in VER Comprehensive support for SQLINE v3.4 database, including "mard" data type recognition. CD CD CD Updated in VER Comprehensive support for MERGE / INSERT OR REPLACE commands and for of mAppend, drull Updated and support for MERGE / INSERT OR REPLACE commands and for of mAppend, drull Updated (margine) updated in VER Component, with support for MERGE / INSERT OR REPLACE commands and for of mAppend, drull Updated (margine) updated in VER Component, with support for MERGE / INSERT OR REPLACE commands and for CD CD CD Unified Data Access API CC CD | Updated in XE8! iOS and Android mobile database support, including SQLite, InterBase ToGo and IBLite | CD | C ¹ D ¹ | |
| Supporting both dynamic and static linking Updated in 10 Sattlet FreDAc TL support now with optimization and extension of the TFDBatchinkowsSQLWitter component, with support for MERGE / INSERT OR REPLACE commands and for draAppend, dumydate, draAppendUpdate in support for MERGE / INSERT OR REPLACE commands and for draAppend, dumydate, draAppendUpdate modes Easy to use TDataSet descendant classes CD CD Unified Data Access API CD CD Unified Data Access API CD CD Unded politic improvements of FireDAC cached updates mode, including new UpdateDptions-AutoCommitUpdates property and improved compatibility with ClientDataSet CD CD FireDAC clients for DataSnap CD CD FireDAC clients for DataSnap CD CD FireDAC clients for DataSnap CD CD FireDAC source code Live Data Window mode enabling fast bi-directional navigation through large datasets CD CD FireDAC source code Live Data Window mode enabling fast bi-directional navigation through large datasets CD CD Array Data Manipulation Language (DML) command execution and Command Batches for batch CD C1° 0° Carbad Window mode enabling tast bi-directional navigation through large datasets CD CD FireDAC source code Live Data Window mode enabling tast bi-directional navigation through large datasets CD CD CD FireData Manipulation Language (DML) command execution and Command Batches for batch CD C1° 0° CD Full support for asynchronous command execution, command execution timeout, and command CD CD Full support for asynchronous command execution, command execution timeout, and command CD CD Full support for asynchronous command execution, command execution independent and public to track correlated changes for several datasets with cascading updates CD CD Full support for the public mode with ability to track correlated changes for several datasets with cascading updates CD CD CD Data type unification with feable and adjustable data type mapping Easy to use TFDMET and the entire time time time time time time time tim | IBLite, InterBase on localhost, MySQL Embedded, MySQL Server on localhost, Advantage Database local | CD | C D | |
| TFDBatchNoveSQLWriter component, with support for MERGE / INSERT OR REPLACE commands and for for dnAppend, childpate, ching-pondulpdate modes Easy to use TDataSet descendant classes CD CD Unified Data Access API CD CD White Data Access API CD CD UpdateOptions AutoCommitUpdates property and improved compatibility with ClientDataSet CD CD CD CD PriceDAC clients for DataShap CD CD CD FireDAC source in-memory dataset CD CD CD FireDAC source in-memory dataset CD CD CD FireDAC source ocode Live Data Window mode enabling fast bi-directional navigation through large datasets CD CD FireDAC source ocode Live Data Window mode enabling fast bi-directional navigation through large datasets CD CD FireDAC source ocode Live Data Window mode enabling fast bi-directional navigation through large datasets CD CD FireDAC source ocode Live Data Window mode enabling fast bi-directional navigation through large datasets CD CD FireDAC source ocode Live Data Window mode enabling fast bi-directional navigation through large datasets CD CD FireDAC source ocode Live Data Window mode enabling fast bi-directional navigation through large datasets CD CD FireDAC source ocode Live Data Window mode enabling fast bi-directional navigation through large datasets CD CD FireDAC source ocode CD CD FireDAC source ocode CD CD FireDAC source ocode CD CD CD CD FireDAC source ocode CD CD CD | | C D | C D | |
| Unified Data Access API New in 10 Seatite! Improvements of FireDAC cached updates mode, including new UpdateDptons AutoCommitUpdates property and improved compatibility with ClientDataSet C D C D C D C D C D C D C D C D C D C | TFDBatchMoveSQLWriter component, with support for MERGE / INSERT OR REPLACE commands and | C D | CD | |
| New in 10 Seattlet Improvements of FireDAC cached updates mode, including new UpdateOptions AutoCommitUpdates property and improved compatibility with CilentDataSet CD CD C*D* CC*D* FireDAC clients for DataSnap High-performance in-memory dataset CD CD CD High-performance in-memory dataset CD CD CD FireDAC clients for DataSnap High-performance in-memory dataset CD CD CD Live Data Window mode enabling fast bi-directional navigation through large datasets CD CD CD Array Data Manipulation Language (DML) command execution and Command Batches for batch applications and for minimizing network traffic Direct support for asynchronous command execution, command execution timeout, and command CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD CD | Easy to use TDataSet descendant classes | CD | C D | |
| UpdateOptions.AutoCommitUpdates property and improved compatibility with ClientDataSet CD C ¹ D ⁴ D ⁵ Comprehensive support for all recent interBase features, up to XE7 FireDAC clients for DataSnap CD CD High-performance in-memory dataset CD CD CD FireDAC source code CD CD CD FireDAC source code CD CD CD Array Data Manipulation Language (DML) command execution and Command Batches for batch applications and for minimzing network traffic Direct support for asynchronous command execution and Command Batches for batch applications and for minimzing network traffic Direct support for asynchronous command execution, command execution timeout, and command CD CD CD CD Cached updates mode with ability to track correlated changes for several datasets with cascading updates CD CD Full support for auto-incrementing fields, including those based on generators and table triggers CD CD SQL dialect abstraction through FireDAC escape sequences, conditional statements and macros CD CD SQL dialect abstraction with flexible and adjustable data type mapping CD CD Data type unification with flexible and adjustable data type mapping CD CD CD DataSpap client support for HTTP, HTTPS and TCP/IP protocols and authentication DataSnap client support for HTTP, HTTPS and TCP/IP protocols and authentication CD CD CD CD DataSet lookup ENTERPRISE MOBILITY SERVICES Introduced in XE71 Enterprise Mobility Services turnkey REST based middleware stack that includes API CD | Unified Data Access API | CD | CD | |
| FireDAC clients for DataSnap C D | | C D | C D | |
| Figeh-performance in-memory dataset CD CD FireDAC source code CD CD CD CD Live Data Window mode enabling fast bi-directional navigation through large datasets CD CD CD CD Array Data Manipulation Language (DML) command execution and Command Batches for batch applications and for minimizing network traffic Direct support for asynchronous command execution, command execution timeout, and command execution canceling Cached updates mode with ability to track correlated changes for several datasets with cascading updates CD CD CD CD SQL dialect abstraction through FireDAC escape sequences, conditional statements and macros CD CD Easy to use FTCMernable - in-memory dataset, highly compatible with TClientDataSet, now including optimized JSON serialization DataSnap client support for HTTP, HTTPS and TCP/IP protocols and authentication Local SQL with heterogeneous SQL commands to TDataSets, full SQLite SQL dialect support, add-hoc CD CD ENTERPRISE MOBILITY SERVICES Introduced in XE7/ Create custom REST APIs for your business functionality and map them to custom URIS, using loadable packages for the EMS server's Introduced in XE7/ Integrated with FireDAC high-performance enterprise data access for Oracle, DB2, Microsoft SQL Server, and many more database servers's Introduced in XE7/ Integrated with FireDAC high-performance enterprise data access for Oracle, DB2, introduced in XE8/ FireDAC / EMS integration improvements, focused on updates management 'CD CD C'D' Introduced in XE8/ Embergo AC / EMS integration improvements, focused on updates management 'CD CD C'D' Introduced in XE8/ EMS external credentials support 'CD C D C'D' Introduced in XE8/ EMS external credentials support 'CD C D C'D' Introduced in XE8/ EMS external credentials support 'CD C D C'D' Introduced in XE8/ EMS external credentials support 'CD C D C'D' Introduced in XE8/ EMS external credentials support 'CD C D C'D' Introduced in XE8/ EMS calced EMS Administrative API, now with EMS Installation and EMS Push CD C'D' Introduce | Comprehensive support for all recent InterBase features, up to XE7 | CD | C ⁴ D ⁴ | |
| FireDAC source code Live Data Window mode enabling fast bi-directional navigation through large datasets CD CD Array Data Manipulation Language (DML) command execution and Command Batches for batch applications and for minimizing network traffic Direct support for asynchronous command execution, command execution timeout, and command execution cancelling Cached updates mode with ability to track correlated changes for several datasets with cascading updates CD CD Full support for auto-incrementing fields, including those based on generators and table triggers CD CD SQL dialect abstraction through FireDAC escape sequences, conditional statements and macros CD C*D* Data type unification with flexible and adjustable data type mapping CD CD Easy to use TEDMem Table - in-memory dataset, highly compatible with TClientDataSet, now including CD CD DataSnap client support for HTTP, HTTPS and TCP/IP protocols and authentication CD CD DataSnap client support for HTTP, HTTPS and TCP/IP protocols and authentication CD CD ENTERPRISE MOBILITY SERVICES* Introduced in XE7I Enterprise Mobility Services turnkey REST based middleware stack that includes API hosting, data access, and SQL Database access* Introduced in XE7I Create custom REST APIs for your business functionality and map them to custom URIs, using loadable packages for the EMS server * Introduced in XE7I Integrated with FireDAC high-performance enterprise data access for Oracle, DB2, Microsoft SQL Server, and many more database servers* Introduced in XE7I Integrated with FireDAC high-performance enterprise data access for Oracle, DB2, Microsoft SQL Server, and many more database servers* Introduced in XE7I Entegrated with FireDAC high-performance enterprise data access for Oracle, DB2, Microsoft SQL Server, informix, SQL Server, and many more database servers* Introduced in XE7I Entegrated with FireDAC high-performance enterprise data access for Oracle, DB2, Microsoft SQL Server, informix, SQL Server, and many more database servers* Introduced in XE8I EMS Push | FireDAC clients for DataSnap | CD | | |
| Live Data Window mode enabling fast bi-directional navigation through large datasets C D C D Array Data Manipulation Language (DML) command execution and Command Batches for batch applications and for minimizing network traffic. Direct support for asynchronous command execution, command execution timeout, and command execution cancelling. C D C D C D C D C D C D C D C D | High-performance in-memory dataset | CD | CD | |
| Array Data Manipulation Language (DML) command execution and Command Batches for batch applications and for minimizing network traffic Direct support for asynchronous command execution, command execution timeout, and command comm | FireDAC source code | CD | C ⁴ D ⁴ | |
| polications and for minimizing network traffic Direct support for asynchronous command execution, command execution timeout, and command cached updates mode with ability to track correlated changes for several datasets with cascading updates C D C D Full support for auto-incrementing fields, including those based on generators and table triggers C D C D SQL dialect abstraction through FireDAC escape sequences, conditional statements and macros C D C D Data type unification with flexible and adjustable data type mapping C D C D Easy to use TFDMemTable - in-memory dataset, highly compatible with TClientDataSet, now including C D C D DataSpan policinal support for HTTP, HTTPS and TCP/IP protocols and authentication C D DataSpan policinal support for HTTP, HTTPS and TCP/IP protocols and authentication C D C D ENTERPRISE MOBILITY SERVICES Introduced in XE7! Enterprise Mobility Services turnkey REST based middleware stack that includes API C D C D C D C D C D C D C D C D | Live Data Window mode enabling fast bi-directional navigation through large datasets | CD | C D | |
| execution canceling Cached updates mode with ability to track correlated changes for several datasets with cascading updates C D C D C D SILI Support for auto-incrementing fields, including those based on generators and table triggers C D C D C D SQL dialect abstraction through FireDAC escape sequences, conditional statements and macros C D C D C D C D C D C D C D C D C D C | Array Data Manipulation Language (DML) command execution and Command Batches for batch applications and for minimizing network traffic | C D | C ⁴ D ⁴ | |
| Full support for auto-incrementing fields, including those based on generators and table triggers C D C D SQL dialect abstraction through FireDAC escape sequences, conditional statements and macros C D C D Easy to use TFDMemTable - in-memory dataset, highly compatible with TClientDataSet, now including optimized JSON serialization C D C D Easy to use TFDMemTable - in-memory dataset, highly compatible with TClientDataSet, now including optimized JSON serialization C D C D DataSnap client support for HTTP, HTTPS and TCP/IP protocols and authentication C D C D Local SQL with heterogeneous SQL commands to TDataSets, full SQLite SQL dialect support, add-hoc C D C D ENTERPRISE MOBILITY SERVICES Introduced in XE7! Enterprise Mobility Services turnkey REST based middleware stack that includes API hosting, data access, and SQL Database access ss Introduced in XE7! Create custom REST APIs for your business functionality and map them to custom C D C D URIs, using loadable packages for the EMS server surpless data access for Oracle, DB2, introduced in XE7! Integrated with FireDAC high-performance enterprise data access for Oracle, DB2, introduced in XE7! Enterprise Motifications server support for iOS and Android C C D C D C D C D Introduced in XE8! EMS Push Notifications server support for iOS and Android C C D C D C D C D C D Introduced in XE8! EMS Push Notifications server support for iOS and Android C C D C D C D C D C D C D C D C D C D | | C D | C D | |
| SQL dialect abstraction through FireDAC escape sequences, conditional statements and macros CD C¹D¹ Data type unification with flexible and adjustable data type mapping CD CD Easy to use TFDMermTable - in-memory dataset, highly compatible with TClientDataSet, now including optimized JSON serialization CD CD DataSnap client support for HTTP, HTTPS and TCP/IP protocols and authentication CD CD DataSnap client support for HTTP, HTTPS and TCP/IP protocols and authentication CD CD CD CD ENTERPRISE MOBILITY SERVICES Introduced in XE7I Enterprise Mobility Services turnkey REST based middleware stack that includes API hosting, data access, and SQL Database access Introduced in XE7I Enterprise Mobility Services turnkey REST based middleware stack that includes API hosting, data access, and SQL Database access Introduced in XE7I Integrated with FireDAC high-performance enterprise data access for Oracle, DB2, Microsoft SQL Server, Informix, SQL Server, and many more database servers Introduced in XE8I FireDAC / EMS integration improvements, focused on updates management CD C²D² Introduced in XE8I EMS Push Notifications server support for iOS and Android CD C²D² Introduced in XE8I EMS Push Notifications server support for iOS and Android CD C²D² Introduced in XE8I EMS external credentials support CD C²D² Introduced in XE8I EMS external credentials support CD C²D² Introduced in XE8I EMS EMS external credentials support CD C²D² Introduced in XE8I EMS EMS EMS console for Design and other EMS optimizations CD C²D² Introduced in XE8I EMSClientAPI component to simplify EMS client side development CD C²D² Introduced in XE8I User, groups, sessions, and API calls analytics and reporting using a web based interface using the EMS Console Introduced in XE8I Improved analytics for users and groups Introduced in XE8I Improved analytics for users and groups Introduced in XE8I Improved analytics for users and groups Introduced in XE8I Improved analytics for users and groups Introduced i | Cached updates mode with ability to track correlated changes for several datasets with cascading updates | CD | C D | |
| Data type unification with flexible and adjustable data type mapping CD CD CD Easy to use TFDMemTable - in-memory dataset, highly compatible with TClientDataSet, now including optimized JSON serialization CD CD DataSnap client support for HTTP, HTTPS and TCP/IP protocols and authentication CD DataSnap client support for HTTP, HTTPS and TCP/IP protocols and authentication CD CD ENTERPRISE MOBILITY SERVICES * Introduced in XE7! Enterprise Mobility Services turnkey REST based middleware stack that includes API hosting, data access, and SQL Database access * Introduced in XE7! Create custom REST APIs for your business functionality and map them to custom URIs, using loadable packages for the EMS server * Introduced in XE7! Integrated with FireDAC high-performance enterprise data access for Oracle, DB2, Microsoft SQL Server, Informix, SQL Server, and many more database servers * Introduced in XE8! FireDAC / EMS integration improvements, focused on updates management * CD C² D² Introduced in XE8! EMS Push Notifications server support for iOS and Android * CD C² D² Introduced in XE8! EMS external credentials support * CD C² D² Introduced in XE8! EMS external credentials support * CD C² D² Introduced in XE8! EMS external credentials support * CD C² D² Introduced in XE8! Extended EMS Administrative API, now with EMS Installation and EMS Push CD C² D² Introduced in XE8! Extended EMS Administrative API, now with EMS client side development * CD C² D² Introduced in XE8! EMSClientAPI component to simplify EMS client side development * CD C² D² Introduced in XE8! EMSClientAPI component to simplify EMS client side development * CD C² D² Introduced in XE8! EMSClientAPI component to simplify EMS client side development * CD C² D² Introduced in XE8! EMSClientAPI component to simplify EMS client side development * CD C² D² Introduced in XE8! EMSClientAPI component to simplify EMS client side development * CD C² D² Introduced in XE8! EMSClientAPI component to simplify EMS client side development * | Full support for auto-incrementing fields, including those based on generators and table triggers | CD | C D | |
| Easy to use TFDMemTable - in-memory dataset, highly compatible with TClientDataSet, now including optimized JSON serialization DataSnap client support for HTTP, HTTPS and TCP/IP protocols and authentication C D Local SQL with heterogeneous SQL commands to TDataSets, full SQLite SQL dialect support, add-hoc TDataSet lookup ENTERPRISE MOBILITY SERVICES Introduced in XE7! Enterprise Mobility Services turnkey REST based middleware stack that includes API hosting, data access, and SQL Database access Introduced in XE7! Create custom REST APIs for your business functionality and map them to custom URIs, using loadable packages for the EMS server Introduced in XE7! Integrated with FireDAC high-performance enterprise data access for Oracle, DB2, Microsoft SQL Server, Informix, SQL Server, and many more database servers Introduced in XE8! FireDAC / EMS integration improvements, focused on updates management C D C² D² Introduced in XE8! EMS Push Notifications server support for iOS and Android C D C² D² Introduced in XE8! EMS external credentials support C D C² D² Introduced in XE8! EMS external credentials support C D C² D² Introduced in XE8! EMS external credentials support C D C² D² Introduced in XE8! EMS external credentials support C D C² D² Introduced in XE8! EMS external credentials support C D C² D² Introduced in XE8! EMS external credentials support C D C² D² Introduced in XE8! EMS external credentials support C D C² D² Introduced in XE8! EMS external credentials support C D C² D² Introduced in XE8! EMS external credentials support C D C² D² Introduced in XE8! EMS external credentials support C D C² D² Introduced in XE8! EMS external credentials support C D C² D² Introduced in XE8! EMS external credentials support C D C² D² Introduced in XE8! EMS external credentials support C D C² D² Introduced in XE8! EMS external credentials support C D C² D² Introduced in XE8! EMS console C D C² D² Introduced in XE8! Introduced in XE8! EMS console to .CSV files C D | SQL dialect abstraction through FireDAC escape sequences, conditional statements and macros | CD | C ⁴ D ⁴ | |
| DataSnap client support for HTTP, HTTPS and TCP/IP protocols and authentication CD | Data type unification with flexible and adjustable data type mapping | CD | CD | |
| Local SQL with heterogeneous SQL commands to TDataSets, full SQLite SQL dialect support, add-hoc TDataSet lookup ENTERPRISE MOBILITY SERVICES 6 Introduced in XE7! Enterprise Mobility Services turnkey REST based middleware stack that includes API hosting, data access, and SQL Database access 6 Introduced in XE7! Create custom REST APIs for your business functionality and map them to custom URIs, using loadable packages for the EMS server 6 Introduced in XE7! Integrated with FireDAC high-performance enterprise data access for Oracle, DB2, Microsoft SQL Server, Informix, SQL Server, and many more database servers 6 Introduced in XE8! FireDAC / EMS integration improvements, focused on updates management 6 C D C² D² Introduced in XE8! EMS Push Notifications server support for iOS and Android 6 C D C² D² Introduced in XE8! EMS external credentials support 8 C D C² D² Introduced in XE8! Extended EMS Administrative API, now with EMS Installation and EMS Push Resources 6 Introduced in XE8! Database Connection Pooling and other EMS optimizations 6 C D C² D² Introduced in XE8! EMSClientAPI component to simplify EMS client side development 6 C D C² D² Introduced in XE8! User, groups, sessions, and API calls analytics and reporting using a web based interface using the EMS Console 6 Introduced in XE8! Ability to export data from EMS Console to .CSV files 6 Introduced in XE8! Improved analytics for users and groups 6 Introduced in XE8! Improved analytics for users and groups 6 | | C D | C D | |
| ENTERPRISE MOBILITY SERVICES Introduced in XE7! Enterprise Mobility Services turnkey REST based middleware stack that includes API hosting, data access, and SQL Database access Introduced in XE7! Create custom REST APIs for your business functionality and map them to custom URIs, using loadable packages for the EMS server Introduced in XE7! Integrated with FireDAC high-performance enterprise data access for Oracle, DB2, Microsoft SQL Server, Informix, SQL Server, and many more database servers Introduced in XE8! FireDAC / EMS integration improvements, focused on updates management CDCCDC CCDCCDC Introduced in XE8! EMS Push Notifications server support for iOS and Android CDCCCDC CCDCCCCCCCCCCCCCCCCCCCCCCCCC | DataSnap client support for HTTP, HTTPS and TCP/IP protocols and authentication | CD | | |
| Introduced in XE7! Enterprise Mobility Services turnkey REST based middleware stack that includes API hosting, data access, and SQL Database access 6 Introduced in XE7! Create custom REST APIs for your business functionality and map them to custom URIs, using loadable packages for the EMS server 6 Introduced in XE7! Integrated with FireDAC high-performance enterprise data access for Oracle, DB2, Microsoft SQL Server, Informix, SQL Server, and many more database servers 6 Introduced in XE8! FireDAC / EMS integration improvements, focused on updates management 6 Introduced in XE8! EMS Push Notifications server support for iOS and Android 6 Introduced in XE8! EMS external credentials support 6 Introduced in XE8! Extended EMS Administrative API, now with EMS Installation and EMS Push Resources 6 Introduced in XE8! Database Connection Pooling and other EMS optimizations 6 Introduced in XE8! EMSClientAPI component to simplify EMS client side development 6 Introduced in XE8! User, groups, sessions, and API calls analytics and reporting using a web based interface using the EMS Console 6 Introduced in XE8! Ability to export data from EMS Console to .CSV files 6 Introduced in XE8! Improved analytics for users and groups 6 Introduced in XE8! Improved analytics for users and groups 6 | | C D | C D | |
| Introduced in XE7! Enterprise Mobility Services turnkey REST based middleware stack that includes API hosting, data access, and SQL Database access 6 Introduced in XE7! Create custom REST APIs for your business functionality and map them to custom URIs, using loadable packages for the EMS server 6 Introduced in XE7! Integrated with FireDAC high-performance enterprise data access for Oracle, DB2, Microsoft SQL Server, Informix, SQL Server, and many more database servers 6 Introduced in XE8! FireDAC / EMS integration improvements, focused on updates management 6 Introduced in XE8! EMS Push Notifications server support for iOS and Android 6 Introduced in XE8! EMS external credentials support 6 Introduced in XE8! Extended EMS Administrative API, now with EMS Installation and EMS Push Resources 6 Introduced in XE8! Database Connection Pooling and other EMS optimizations 6 Introduced in XE8! EMSClientAPI component to simplify EMS client side development 6 Introduced in XE8! User, groups, sessions, and API calls analytics and reporting using a web based interface using the EMS Console 6 Introduced in XE8! Ability to export data from EMS Console to .CSV files 6 Introduced in XE8! Improved analytics for users and groups 6 Introduced in XE8! Improved analytics for users and groups 6 | | | | |
| hosting, data access, and SQL Database access 6 Introduced in XE7! Create custom REST APIs for your business functionality and map them to custom URIs, using loadable packages for the EMS server 6 Introduced in XE7! Integrated with FireDAC high-performance enterprise data access for Oracle, DB2, Microsoft SQL Server, Informix, SQL Server, and many more database servers 6 Introduced in XE8! FireDAC / EMS integration improvements, focused on updates management 6 C D C² D² Introduced in XE8! EMS Push Notifications server support for iOS and Android 6 C D C² D² Introduced in XE8! EMS external credentials support 6 C D C² D² Introduced in XE8! Extended EMS Administrative API, now with EMS Installation and EMS Push Resources 6 Introduced in XE8! Database Connection Pooling and other EMS optimizations 6 C D C² D² Introduced in XE8! EMSClientAPI component to simplify EMS client side development 6 C D C² D² Enhanced in XE8! User, groups, sessions, and API calls analytics and reporting using a web based interface using the EMS Console 6 Introduced in XE8! Ability to export data from EMS Console to .CSV files 6 C D C² D² Introduced in XE8! Improved analytics for users and groups 6 | ENTERPRISE MOBILITY SERVICES 6 | | | |
| URIs, using loadable packages for the EMS server 6 Introduced in XE7! Integrated with FireDAC high-performance enterprise data access for Oracle, DB2, Microsoft SQL Server, Informix, SQL Server, and many more database servers 6 Introduced in XE8! FireDAC / EMS integration improvements, focused on updates management 6 C D C² D² Introduced in XE8! EMS Push Notifications server support for iOS and Android 6 C D C² D² Introduced in XE8! EMS external credentials support 6 Introduced in XE8! Extended EMS Administrative API, now with EMS Installation and EMS Push Resources 6 Introduced in XE8! Database Connection Pooling and other EMS optimizations 6 C D C² D² Introduced in XE8! EMSClientAPI component to simplify EMS client side development 6 C D C² D² Enhanced in XE8! User, groups, sessions, and API calls analytics and reporting using a web based interface using the EMS Console 6 Introduced in XE8! Ability to export data from EMS Console to .CSV files 6 C D C² D² Introduced in XE8! Improved analytics for users and groups 6 | | C D | $C^2 D^2$ | |
| Microsoft SQL Server, Informix, SQL Server, and many more database servers 6 Introduced in XE8! FireDAC / EMS integration improvements, focused on updates management 6 C D C² D² Introduced in XE8! EMS Push Notifications server support for iOS and Android 6 C D C² D² Introduced in XE8! EMS external credentials support 6 Introduced in XE8! Extended EMS Administrative API, now with EMS Installation and EMS Push Resources 6 Introduced in XE8! Database Connection Pooling and other EMS optimizations 6 C D C² D² Introduced in XE8! EMSClientAPI component to simplify EMS client side development 6 C D C² D² Enhanced in XE8! User, groups, sessions, and API calls analytics and reporting using a web based interface using the EMS Console 6 Introduced in XE8! Ability to export data from EMS Console to .CSV files 6 C D C² D² Introduced in XE8! Improved analytics for users and groups 6 C D C² D² Introduced in XE8! Improved analytics for users and groups 6 | Introduced in XE7! Create custom REST APIs for your business functionality and map them to custom URIs, using loadable packages for the EMS server ⁶ | CD | C ² D ² | |
| Introduced in XE8! EMS Push Notifications server support for iOS and Android 6 C D C² D² Introduced in XE8! EMS external credentials support 6 C D C² D² Introduced in XE8! Extended EMS Administrative API, now with EMS Installation and EMS Push C D C² D² Introduced in XE8! Database Connection Pooling and other EMS optimizations 6 C D C² D² Introduced in XE8! EMSClientAPI component to simplify EMS client side development 6 C D C² D² Enhanced in XE8! User, groups, sessions, and API calls analytics and reporting using a web based interface using the EMS Console 6 C D C² D² Introduced in XE8! Ability to export data from EMS Console to .CSV files 6 C D C² D² Introduced in XE8! Improved analytics for users and groups 6 C D C² D² | Introduced in XE7! Integrated with FireDAC high-performance enterprise data access for Oracle, DB2, Microsoft SQL Server, Informix, SQL Server, and many more database servers ⁶ | C D | C ² D ² | |
| Introduced in XE8! EMS external credentials support ⁶ C D C ² D ² Introduced in XE8! Extended EMS Administrative API, now with EMS Installation and EMS Push Resources ⁶ Introduced in XE8! Database Connection Pooling and other EMS optimizations ⁶ C D C ² D ² Introduced in XE8! EMSClientAPI component to simplify EMS client side development ⁶ C D C ² D ² Enhanced in XE8! User, groups, sessions, and API calls analytics and reporting using a web based interface using the EMS Console ⁶ Introduced in XE8! Ability to export data from EMS Console to .CSV files ⁶ C D C ² D ² Introduced in XE8! Improved analytics for users and groups ⁶ C D C ² D ² | | CD | _ | |
| Introduced in XE8! Extended EMS Administrative API, now with EMS Installation and EMS Push C D C² D² Introduced in XE8! Database Connection Pooling and other EMS optimizations 6 C D C² D² Introduced in XE8! EMSClientAPI component to simplify EMS client side development 6 C D C² D² Enhanced in XE8! User, groups, sessions, and API calls analytics and reporting using a web based interface using the EMS Console 6 C D C² D² Introduced in XE8! Ability to export data from EMS Console to .CSV files 6 C D C² D² Introduced in XE8! Improved analytics for users and groups 6 C D C² D² | Introduced in XE8! EMS Push Notifications server support for iOS and Android ⁶ | CD | | |
| Resources ⁶ Introduced in XE8! Database Connection Pooling and other EMS optimizations ⁶ C D C ² D ² Introduced in XE8! EMSClientAPI component to simplify EMS client side development ⁶ C D C ² D ² Enhanced in XE8! User, groups, sessions, and API calls analytics and reporting using a web based interface using the EMS Console ⁶ Introduced in XE8! Ability to export data from EMS Console to .CSV files ⁶ C D C ² D ² Introduced in XE8! Improved analytics for users and groups ⁶ C D C ² D ² | Introduced in XE8! EMS external credentials support ⁶ | CD | C ² D ² | |
| Introduced in XE8! EMSClientAPI component to simplify EMS client side development ⁶ C D C ² D ² Enhanced in XE8! User, groups, sessions, and API calls analytics and reporting using a web based interface using the EMS Console ⁶ Introduced in XE8! Ability to export data from EMS Console to .CSV files ⁶ C D C ² D ² Introduced in XE8! Improved analytics for users and groups ⁶ C D C ² D ² | Resources ⁶ | C D | | |
| Enhanced in XE8! User, groups, sessions, and API calls analytics and reporting using a web based interface using the EMS Console ⁶ Introduced in XE8! Ability to export data from EMS Console to .CSV files ⁶ C D C ² D ² Introduced in XE8! Improved analytics for users and groups ⁶ C D C ² D ² | Introduced in XE8! Database Connection Pooling and other EMS optimizations ⁶ | CD | C ² D ² | |
| Introduced in XE8! Ability to export data from EMS Console to .CSV files ⁶ C D C D C D Introduced in XE8! Improved analytics for users and groups ⁶ C D C D C D C D | Introduced in XE8! EMSClientAPI component to simplify EMS client side development ⁶ | CD | C ² D ² | |
| Introduced in XE8! Improved analytics for users and groups ⁶ C D C ² D ² | | C D | C ² D ² | |
| 1 7 0 1 | Introduced in XE8! Ability to export data from EMS Console to .CSV files ⁶ | CD | $C^2 D^2$ | |
| Introduced in XE8! EMS client application to manage user accounts ⁶ | Introduced in XE8! Improved analytics for users and groups ⁶ | CD | $C^2 D^2$ | |
| | Introduced in XE8! EMS client application to manage user accounts ⁶ | CD | $C^2 D^2$ | |

| 6 The modulet includes FMC common polygons and client FMC applications development common with a 5 year | | and testing linears | Start |
|---|----------------|----------------------|-------|
| The product includes EMS server packages and client EMS applications development support, with a 5-use Deployment of the EMS solution requires a specific per-user license, sold separately. | rs development | and testing license. | |
| | | | |
| DATASNAP MULTI-TIER | | | |
| WebBroker library for HTTP servers development and integration, supporting CGI, ISAPI libraries for Microsoft IIS, and native HTTP servers based on Indy library | C D | C D | |
| NebBroker support for Apache HTTP server modules | CD | CD | |
| Create multi-tier database applications with DataSnap | CD | | |
| Deploy DataSnap servers on Microsoft IIS server (using HTTP or HTTPS) using the WebBroker architecture | C D | | |
| Deploy DataSnap servers on Apache HTTP server (using HTTP or HTTPS) using the WebBroker architecture | C D | | |
| New in 10 Seattle! DataSnap clients uses System.NET for HTTP and HTTPS, with no need to deploy the OpenSLL client library | C D | | |
| HTTPS support in stand-alone DataSnap Applications | C D | | |
| DataSnap server ability to terminate socket connection | CD | | |
| Communication Timeout for HTTP protocol | CD | | |
| Enhanced in 10 Seattle! Specific DataSnap support for exposing FireDAC datasets and reconciling changes using deltas (with the unit FireDACJSONReflect), now with data compression for better chroughput optimization | CD | | |
| New in 10 Seattle! Example of the use of the FDSchemaAdapter component in DataSnap applications | CD | | |
| JavaScript Minification with dispatching | CD | | |
| Heavyweight callbacks support broadcasting to specific callbacks | CD | | |
| Authentication and role-based authorization. | CD | | |
| Callback channel events for servers and clients | CD | | |
| DataSnap REST server support for multiple Callback Tunnels | CD | | |
| Session Events for TCP/IP Protocol | CD | | |
| KeepAlive support for TCP transport component | CD | | |
| Object support in DataSnap sessions | CD | | |
| Monitor and control connections | CD | | |
| Allow changing of JSON result format in REST calls | CD | | |
| Allow query parameters in REST calls and store them | CD | | |
| Proxy information support for HTTP connections | CD | | |
| dentify client connection information (IP address and protocol, and application name for HTTP) | CD | | |
| ServerMethods give complete control over functionality of middle tier. Use TJSONValue pairs making it easier to pass data | C D | | |
| mproved Session events for increased simplicity of a multi-tier implementation | CD | | |
| DataSnap wizards from the Object Gallery to make server and client creation even easier | CD | | |
| DataSnap wizard source code enabling developers to build their own DataSnap server wizards | CD | | |
| Added support for REST(ful) interface and exposure from the Server | CD | | |
| Support for REST client proxy generation | CD | | |
| DataSnap Server Proxy generation for Object Pascal and C++ clients | CD | | |
| Added support for HTTP and HTTPS communication protocol beyond the local DataSnap (TCP/IP) approach | CD | | |
| Added HTTP tunneling support for client code outside the firewall | CD | | |
| Added Filter support for encryption and compression over-the-wire | CD | | |
| ncluded new encryption PC1 and compression filters now included for quick enablement. | CD | | |
| Heavyweight callbacks for enhanced client/server communications and notifications | CD | | |
| ightweight Callbacks | CD | | |
| DataSnap REST and native clients for iOS and Android | C D | | |
| | | | |
| DATASNAP CONNECTORS | | | |
| Vindows 32-bit native (DBX) clients and REST clients | C D | | |

| Feature | Enterprise+ | Professional | Starter |
|--|-------------|-------------------------------|---------|
| Windows 64-bit native (DBX) clients and REST clients | CD | | |
| Mac OS X native (DBX) clients and REST clients | CD | | |
| REST / JavaScript client support for browser platforms | CD | | |
| Enhanced in XE8! DataSnap mobile connectors for ObjectiveC, supporting iOS 7 and iOS 8 SDKs | CD | | |
| DataSnap mobile connectors for C# and Windows Phone 7 (Silverlight) | CD | | |
| DataSnap mobile connectors for Java and Android Gingerbread, Ice Cream Sandwich, Jelly Bean and | | | |
| KitKat | CD | | |
| | | | |
| DATABASE TOOLS | | | |
| Enhanced in XE7! Data Explorer support for FireDAC, optimized to add and manage database connections and browse database schema, including primary keys, foreign keys and sequences or generators | C D | C D | |
| Data Explorer optimized to add and manage database connections and browse database schema | CD | CD | |
| Drag and Drop from FireDAC nodes and dbExpress nodes in the Data Explorer into forms and data modules to speed development | CD | C D | |
| Direct SQL manipulation for any FireDAC connection | CD | C D | |
| SQL console views for running queries and viewing results on any dbExpress 4 supported database | CD | C D | |
| | | 1 | |
| INCLUDED DATABASES | | | |
| Enhanced in XE8! InterBase XE7 Developer Edition – up to 20 users and 80 logical connections | CD | C D | |
| IBLite for iOS and Android with unlimited deployment license | CD | C ¹ D ¹ | |
| Introduced in XE7! IBLite for Windows with unlimited deployment license | CD | CD | |
| InterBase ToGo Test Deployment License (for desktop and mobile) | CD | C ³ D ³ | |
| | 1 | 1 | |
| CLOUD SUPPORT | | | |
| Windows Azure components including AzureConnectionString, AzureBlobManagement, AzureQueueManagment, and AzureTableManagment | C D | C D | |
| Enhanced in 10 Seattle! Cloud libraries now use the System.Net native HTTP and HTTPS support | CD | CD | |
| Ability to manipulate Windows Azure blobs, queues, and tables | CD | CD | |
| MetaData support for TAzureQueueManagement | CD | CD | |
| ContinuationToken support for Azure Table | CD | CD | |
| Enhanced in 10 Seattle! Amazon Simple Storage Service (S3) API | CD | CD | |
| Enhanced in 10 Seattle! Amazon Queue Service API | CD | CD | |
| Enhanced in 10 Seattle! Amazon SimpleDB API | CD | C D | |
| Deploy to Amazon EC2 | CD | CD | |
| Deploy to Windows Azure | CD | CD | |
| | | | |
| REST CLIENT LIBRARY AND BAAS | | | |
| REST Client Library for simplified invocation of REST services | CD | CD | |
| Authorization support including Basic Authentication, Plan Authentication, OAuth1, OAuth2 | CD | CD | |
| TRestClient, TRestRequest, and TRestResponse components | CD | CD | |
| REST Debugger tool for testing REST calls and their parameters | CD | CD | |
| Enhanced in 10 Seattle! JSON reader and writers used in the REST client library | CD | CD | |
| Backend as a Service (BAAS) architecture, with unified interfaces for the most common operations like user management, file storage, objects storage, and notifications support | C D | C ¹ D ¹ | |
| Integrated BaaS support for Kinvey | CD | C ¹ D ¹ | |
| Integrated BaaS support for Parse | CD | C ¹ D ¹ | |
| Enhanced in 10 Seattle! JSON reader and writers used in the BaaS client library | CD | C ¹ D ¹ | |
| | | J 5 5 | |
| XML AND SOAP | | | |
| TXMLDocument component working on all platforms | CD | CD | |
| TXMLDocument component support for MSXML on Windows | CD | CD | |
| Introduced in XE7! TXMLDocument component support for native OmniXML library | CD | CD | |
| THEOGRAPH TALE: TAMELOGGING TO COMPONENT SUPPORT OF HER COMMINION INTO THE INTERPRETATION OF THE PROPERTY OF T | 0.0 | C D | |

| Feature | Enterprise+ | Professional | Starter |
|---|-------------|-------------------------------|---------|
| Introduced in XE7! Easier selection of the default XML engine for XML data processing | C D | C D | |
| TXMLDocument component support for native ADOM library | CD | C D | |
| Easily create Win32, Win64 SOAP Web Services | C D | C D | |
| Build client-side SOAP Web Services, including support for SOAP 1.2 clients | CD | CD | |
| Build SOAP Clients for iOS and Android | CD | C ¹ D ¹ | |
| WSDL External Schema support | CD | | |
| XML Transformation Tools and Components to easily build data exchanges between XML and datasets | CD | | |
| Native Object Pascal and C++ XML bindings to simplify XML programming – access XML documents using interfaces | C D | | |
| SOAP runtime support for optional and unbounded elements | CD | C D | |
| SOAP support for Amazon, eBay, MapPoint, and more | CD | CD | |
| | | | |
| THIRD PARTY INTEGRATED TOOLS | | | |
| FILE COMPARE with Beyond Compare Text Compare | | | |
| Beyond Compare Text Compare integration | C D | CD | |
| Compare and edit the contents of files with syntax highlighting | CD | C D | |
| Ignore changes in whitespace and comments | CD | CD | |
| Print reports of differences or save them as | CD | CD | |
| HTML or plain | 0.5 | 0.5 | |
| Filter display to only show differences, optionally with a few lines of context | C D | CD | |
| Built-in support for Object Pascal, C++, HTML, DFMs, and more | C D | C D | |
| Adds a "Compare" menu to the IDE's "Edit" menu and Project Manager, with commands to compare against previous revisions, other editor tabs, and original files | C D | C D | |
| Automatically configured for both differences and merges from the History view | C D | C D | |
| | | | |
| LOGGING with CodeSite Express | | | |
| Raize Software CodeSite Express Integration provides advanced application logging and debugging capabilities | C D | C D | |
| Log all kinds of information without data conversions including strings, numbers, dates & times and even objects, string lists, exceptions, and much more | C D | C D | |
| Log information from application code (including recursive functions and multiple threads) without interrupting program execution or causing side effects | C D | C D | |
| Emphasize important logging information through a variety of message types | CD | CD | |
| Send logging messages to a CodeSite Log File for later review or to the CodeSite Live Viewer for real-time analysis, or to both simultaneously | C D | C D | |
| Utilize the extensive analysis tools in the CodeSite Viewers to analyze message logs and locate problem areas faster | C D | C D | |
| Filter message logs by application name, process id, thread name, computer name, category, and message text | C D | C D | |
| Quickly organize the message log into multiple views by using the advanced CodeSite Message Organizer | C D | C D | |
| Control the amount of logging information generated by using additional CodeSite loggers with their own Category instead of relying on arbitrary logging levels | C D | C D | |
| Record method calls to add call stack structure to the message log | C D | C D | |
| IP*Works! COMMUNICATION COMPONENTS | | | |
| The full version of /n software's IP*Works! components – A comprehensive suite of components for Internet communications including more than 40 individual components covering every major Internet Protocol. | CD | CD | |
| Royalty free commercial components for Internet development including ATOM, CalDAV, FileMailer, FTP, HTMLMailer, HTTP, ICMPPort, IMAP, IPDaemon, IPInfo, IPMonitor, IPPOrt, JSON, LDAP, Mcast, MIME, MX, NetClock, NetCode, NetDial, NNTP, Ping, POP, RCP, REST, Rexec, Rshell, RSS, SMPP, SNPP, SOAP, Syslog, Telnet, TFTP, TraceRoute, UDPPort, WebDav, WebForm, WebUpload, Whois, XMLp, and XMPP | CD | CD | |
| | | | |

| | Entermise | Dyefeccional | Ctortor |
|---|---------------------------------------|--------------|---------|
| Feature | Enterprise+ | Professional | Starter |
| Components are easy to use, with a uniform, intuitive, and extensible design | CD | C D | |
| Components share common interfaces across platforms and technologies | CD | C D | |
| Components are fast, robust, and reliable with minimal resource consumption | CD | CD | |
| Components are lightweight and have no dependencies on external libraries | CD | CD | |
| Detailed reference documentation, hundreds of sample applications, fully-indexed helps files, and an extensive online knowledge base | C D | C D | |
| TeeChart CHARTING COMPONENTS | | | |
| TeeChart Standard components including chart, DBchart, and a rich set of different graph types | CD | CD | |
| | - | • | l . |
| FastReport REPORTING SOLUTIONS | | | |
| FastReport VCL RAD Edition reporting tool | CD | C D | |
| Exports to popular formats (PDF, RTF, HTML, BMP, JPEG, TIFF, GIF, TXT, CSV) | CD | CD | |
| Grouping with drill-downs | CD | CD | |
| Caching of the big reports(uses less memory) | CD | CD | |
| Six levels in master-detail-subdetail relation | CD | CD | |
| FastReport FMX RAD Edition reporting tool | CD | CD | |
| T add report 1 MIX TV 12 Edition reporting tool | 1 05 | 0.5 | |
| ADDITIONAL COMPONENTS AND TOOLS | | | _ |
| glyFX Icon Library – Embarcadero Edition | CD | CD | |
| gry X 16611 Elbrary Embaroadero Edition | 1 00 | 0.5 | |
| INTRAWEB | | | |
| IntraWeb XIV – RAD Web Application framework, Personal Edition | | CD | |
| IntraWeb XIV – RAD Web Application framework, Fersonal Edition | CD | CB | |
| Integrated Page Mode | CD | C D | |
| RSS Feeds | CD | CD | |
| | | | |
| Static content | CD | C D | |
| URL Mapping | CD | C D | |
| Standalone deployment | CD | C D | |
| Windows Service Deployment | CD | | |
| Concurrent session limit | | C D | |
| Unlimited concurrent session limit | C D | | |
| Application Mode | CD | CD | |
| Code based Authentication | CD | CD | |
| Session time out limit of 20 minutes | C D | CD | |
| | | | |
| COMPANION DATABASE TOOLS (ULTIMATE AND ARCHITECT EDITIONS, FOR BOTH RAD STUDIO | AND SINGLE PR | RODUCTS) | |
| DATABASE APPLICATION DEVELOPMENT | | | |
| Fast SQL database development, change management, profiling, and tuning with DB PowerStudio® XE5, Developer Edition | Ultimate only | | |
| Rapid SQL to write high quality SQL code faster | Ultimate only | | |
| DB Optimizer to visually tune SQL | Ultimate only | | |
| DB Change Manager to simplify database change management | Ultimate only | | |
| | · · · · · · · · · · · · · · · · · · · | 1 | |
| DATABASE APPLICATION DEVELOPMENT | | | |
| Embarcadero® ER/Studio® 9.7 Developer Edition, a database modeling and design tool for better understanding database structures | Architect only | | |
| Highly productive model-driven database design environment – advanced graphics, multilevel design capabilities, automated and custom transformation, denormalization mapping, extensible automation and undo/redo | Architect only | | |

| Feature | Enterprise+ | Professional | Starter |
|--|---------------------------|-------------------------|---------|
| Database lifecycle support – forward engineering, reverse engineering to construct a model from an | | | |
| existing database or schema, and database modification | Architect only | | |
| Enterprise model management – advanced compare and merge, submodel management, "where used" analysis and XML schema generation | Architect only | | |
| Data warehouse and integration support – data lineage and dimensional modeling | Architect only | | |
| Quality database design - model completion validation, automatic migration of foreign keys and capacity planning | Architect only | | |
| Security design and assessment – including data classification and permission management | Architect only | | |
| Database modeling and design for Oracle, Microsoft SQL Server, DB2 LUW, InterBase, MySQL, Informix, Sybase ASE, SQL Anywhere, ODBC, and ANSI SQL | Architect only | | |
| Visual Data Lineage – Visually analyze and document how data flows through your organization without needing to inspect code | Architect only | | |
| Attribute-level submodeling – Choose which attributes/columns to include in the entities/tables in the submodel and also describe submodels on the new Definition tab, then create queries to search on the definitions | Architect only | | |
| Object-level Compare Flags – Indicate international discrepancies when comparing models that the Compare Wizard should ignore. | Architect only | | |
| Produce reports in HTML format | Architect only | | |
| | | | |
| LICENSING AND TOOL MANAGEABILITY | | | |
| No fees or limitations on deployment of client applications (with the exclusion of analytics and EMS) | CD | CD | C D |
| Licensing suitable for larger teams with no restriction on number of licenses you can purchase or use | CD | CD | |
| Network named or concurrent licenses available | CD | CD | |
| Enhanced in 10 Seattle! Earlier version licenses included in network licenses (Delphi 2007- XE8, C++ Builder 2007-XE8, HTML5 Builder XE3, RadPHP XE2). Delphi 7 and C++Builder 6 available separately | CDH | CDH | |
| | | | |
| Enhanced in 10 Seattle! Access to licenses and downloads for earlier versions with purchase of standalone product licenses (Delphi 2007 – XE8, C++Builder 2007-XE8, HTML5 Builder XE3, RadPHP XE2, Delphi 7, and C++Builder 6) | C D | C D | |
| product licenses (Delphi 2007 – XE8, C++Builder 2007-XE8, HTML5 Builder XE3, RadPHP XE2, Delphi 7, and C++Builder 6) | CD | C D | _ |
| product licenses (Delphi 2007 – XE8, C++Builder 2007-XE8, HTML5 Builder XE3, RadPHP XE2, Delphi 7, | C D | C D | |
| product licenses (Delphi 2007 – XE8, C++Builder 2007-XE8, HTML5 Builder XE3, RadPHP XE2, Delphi 7, and C++Builder 6) | C D | CD | |
| product licenses (Delphi 2007 – XE8, C++Builder 2007-XE8, HTML5 Builder XE3, RadPHP XE2, Delphi 7, and C++Builder 6) HTML5 BUILDER WEB AND MOBILE APPLICATION DEVELOPMENT | C D | C D | |
| product licenses (Delphi 2007 – XE8, C++Builder 2007-XE8, HTML5 Builder XE3, RadPHP XE2, Delphi 7, and C++Builder 6) HTML5 BUILDER WEB AND MOBILE APPLICATION DEVELOPMENT HTML5 BUILDER INTEGRATED DEVELOPMENT ENVIRONMENT (IDE) | | | |
| product licenses (Delphi 2007 – XE8, C++Builder 2007-XE8, HTML5 Builder XE3, RadPHP XE2, Delphi 7, and C++Builder 6) HTML5 BUILDER WEB AND MOBILE APPLICATION DEVELOPMENT HTML5 BUILDER INTEGRATED DEVELOPMENT ENVIRONMENT (IDE) Workflow optimized, context-sensitive user interface focused on improving user productivity | Н | Н | |
| product licenses (Delphi 2007 – XE8, C++Builder 2007-XE8, HTML5 Builder XE3, RadPHP XE2, Delphi 7, and C++Builder 6) HTML5 BUILDER WEB AND MOBILE APPLICATION DEVELOPMENT HTML5 BUILDER INTEGRATED DEVELOPMENT ENVIRONMENT (IDE) Workflow optimized, context-sensitive user interface focused on improving user productivity Client Deployment wizard for deploying client web applications | H H | H H | |
| product licenses (Delphi 2007 – XE8, C++Builder 2007-XE8, HTML5 Builder XE3, RadPHP XE2, Delphi 7, and C++Builder 6) HTML5 BUILDER WEB AND MOBILE APPLICATION DEVELOPMENT HTML5 BUILDER INTEGRATED DEVELOPMENT ENVIRONMENT (IDE) Workflow optimized, context-sensitive user interface focused on improving user productivity Client Deployment wizard for deploying client web applications Multiple new project and file types have been added Client Web Application and Client Page. Develop web applications with client-side technologies that you | H H | H H | |
| product licenses (Delphi 2007 – XE8, C++Builder 2007-XE8, HTML5 Builder XE3, RadPHP XE2, Delphi 7, and C++Builder 6) HTML5 BUILDER WEB AND MOBILE APPLICATION DEVELOPMENT HTML5 BUILDER INTEGRATED DEVELOPMENT ENVIRONMENT (IDE) Workflow optimized, context-sensitive user interface focused on improving user productivity Client Deployment wizard for deploying client web applications Multiple new project and file types have been added Client Web Application and Client Page. Develop web applications with client-side technologies that you can run without a webserver. Client Mobile Application and Client Mobile Page. Develop mobile applications with client-side technologies | H H H | H H H | |
| product licenses (Delphi 2007 – XE8, C++Builder 2007-XE8, HTML5 Builder XE3, RadPHP XE2, Delphi 7, and C++Builder 6) HTML5 BUILDER WEB AND MOBILE APPLICATION DEVELOPMENT HTML5 BUILDER INTEGRATED DEVELOPMENT ENVIRONMENT (IDE) Workflow optimized, context-sensitive user interface focused on improving user productivity Client Deployment wizard for deploying client web applications Multiple new project and file types have been added Client Web Application and Client Page. Develop web applications with client-side technologies that you can run without a webserver. Client Mobile Application and Client Mobile Page. Develop mobile applications with client-side technologies that you can run without a webserver. | H H H | H H H | |
| product licenses (Delphi 2007 – XE8, C++Builder 2007-XE8, HTML5 Builder XE3, RadPHP XE2, Delphi 7, and C++Builder 6) HTML5 BUILDER WEB AND MOBILE APPLICATION DEVELOPMENT HTML5 BUILDER INTEGRATED DEVELOPMENT ENVIRONMENT (IDE) Workflow optimized, context-sensitive user interface focused on improving user productivity Client Deployment wizard for deploying client web applications Multiple new project and file types have been added Client Web Application and Client Page. Develop web applications with client-side technologies that you can run without a webserver. Client Mobile Application and Client Mobile Page. Develop mobile applications with client-side technologies that you can run without a webserver. Mobile Themes. Create themes for your mobile applications easily with HTML5 Builder's visual designer. Project Manager to display and organize the contents of your current project with support for content | H H H H | H H H H | |
| product licenses (Delphi 2007 – XE8, C++Builder 2007-XE8, HTML5 Builder XE3, RadPHP XE2, Delphi 7, and C++Builder 6) HTML5 BUILDER WEB AND MOBILE APPLICATION DEVELOPMENT HTML5 BUILDER INTEGRATED DEVELOPMENT ENVIRONMENT (IDE) Workflow optimized, context-sensitive user interface focused on improving user productivity Client Deployment wizard for deploying client web applications Multiple new project and file types have been added Client Web Application and Client Page. Develop web applications with client-side technologies that you can run without a webserver. Client Mobile Application and Client Mobile Page. Develop mobile applications with client-side technologies that you can run without a webserver. Mobile Themes. Create themes for your mobile applications easily with HTML5 Builder's visual designer. Project Manager to display and organize the contents of your current project with support for content preview and search. | H H H H | H H H H | |
| product licenses (Delphi 2007 – XE8, C++Builder 2007-XE8, HTML5 Builder XE3, RadPHP XE2, Delphi 7, and C++Builder 6) HTML5 BUILDER WEB AND MOBILE APPLICATION DEVELOPMENT HTML5 BUILDER INTEGRATED DEVELOPMENT ENVIRONMENT (IDE) Workflow optimized, context-sensitive user interface focused on improving user productivity Client Deployment wizard for deploying client web applications Multiple new project and file types have been added Client Web Application and Client Page. Develop web applications with client-side technologies that you can run without a webserver. Client Mobile Application and Client Mobile Page. Develop mobile applications with client-side technologies that you can run without a webserver. Mobile Themes. Create themes for your mobile applications easily with HTML5 Builder's visual designer. Project Manager to display and organize the contents of your current project with support for content preview and search. Project Manager view menu for directory (nested), directory (flat) and list view of files in a project. Project Options to allow you select which parameters to send to the running script and other extra options | H H H H | H H H H | |
| product licenses (Delphi 2007 – XE8, C++Builder 2007-XE8, HTML5 Builder XE3, RadPHP XE2, Delphi 7, and C++Builder 6) HTML5 BUILDER WEB AND MOBILE APPLICATION DEVELOPMENT HTML5 BUILDER INTEGRATED DEVELOPMENT ENVIRONMENT (IDE) Workflow optimized, context-sensitive user interface focused on improving user productivity Client Deployment wizard for deploying client web applications Multiple new project and file types have been added Client Web Application and Client Page. Develop web applications with client-side technologies that you can run without a webserver. Client Mobile Application and Client Mobile Page. Develop mobile applications with client-side technologies that you can run without a webserver. Mobile Themes. Create themes for your mobile applications easily with HTML5 Builder's visual designer. Project Manager to display and organize the contents of your current project with support for content preview and search. Project Manager view menu for directory (nested), directory (flat) and list view of files in a project. Project Options to allow you select which parameters to send to the running script and other extra options via the Run/Debug drop-down menus. | H H H H H | H H H H H | |
| product licenses (Delphi 2007 – XE8, C++Builder 2007-XE8, HTML5 Builder XE3, RadPHP XE2, Delphi 7, and C++Builder 6) HTML5 BUILDER WEB AND MOBILE APPLICATION DEVELOPMENT HTML5 BUILDER INTEGRATED DEVELOPMENT ENVIRONMENT (IDE) Workflow optimized, context-sensitive user interface focused on improving user productivity Client Deployment wizard for deploying client web applications Multiple new project and file types have been added Client Web Application and Client Page. Develop web applications with client-side technologies that you can run without a webserver. Client Mobile Application and Client Mobile Page. Develop mobile applications with client-side technologies that you can run without a webserver. Mobile Themes. Create themes for your mobile applications easily with HTML5 Builder's visual designer. Project Manager to display and organize the contents of your current project with support for content preview and search. Project Manager view menu for directory (nested), directory (flat) and list view of files in a project. Project Options to allow you select which parameters to send to the running script and other extra options via the Run/Debug drop-down menus. File manipulation and creation through the Project Manager facilities. Multi-select files in the Project Manager | H H H H H | H H H H H | |
| product licenses (Delphi 2007 – XE8, C++Builder 2007-XE8, HTML5 Builder XE3, RadPHP XE2, Delphi 7, and C++Builder 6) HTML5 BUILDER WEB AND MOBILE APPLICATION DEVELOPMENT HTML5 BUILDER INTEGRATED DEVELOPMENT ENVIRONMENT (IDE) Workflow optimized, context-sensitive user interface focused on improving user productivity Client Deployment wizard for deploying client web applications Multiple new project and file types have been added Client Web Application and Client Page. Develop web applications with client-side technologies that you can run without a webserver. Client Mobile Application and Client Mobile Page. Develop mobile applications with client-side technologies that you can run without a webserver. Mobile Themes. Create themes for your mobile applications easily with HTML5 Builder's visual designer. Project Manager to display and organize the contents of your current project with support for content preview and search. Project Manager view menu for directory (nested), directory (flat) and list view of files in a project. Project Options to allow you select which parameters to send to the running script and other extra options via the Run/Debug drop-down menus. File manipulation and creation through the Project Manager facilities. | H H H H H H H H | H H H H H H H H | |
| product licenses (Delphi 2007 – XE8, C++Builder 2007-XE8, HTML5 Builder XE3, RadPHP XE2, Delphi 7, and C++Builder 6) HTML5 BUILDER WEB AND MOBILE APPLICATION DEVELOPMENT HTML5 BUILDER INTEGRATED DEVELOPMENT ENVIRONMENT (IDE) Workflow optimized, context-sensitive user interface focused on improving user productivity Client Deployment wizard for deploying client web applications Multiple new project and file types have been added Client Web Application and Client Page. Develop web applications with client-side technologies that you can run without a webserver. Client Mobile Application and Client Mobile Page. Develop mobile applications with client-side technologies that you can run without a webserver. Mobile Themes. Create themes for your mobile applications easily with HTML5 Builder's visual designer. Project Manager to display and organize the contents of your current project with support for content preview and search. Project Manager view menu for directory (nested), directory (flat) and list view of files in a project. Project Options to allow you select which parameters to send to the running script and other extra options via the Run/Debug drop-down menus. File manipulation and creation through the Project Manager facilities. Multi-select files in the Project Manager IDE Insight always accessible via integrated top level search bar | H H H H H H H H H | H H H H H H H H | |
| product licenses (Delphi 2007 – XE8, C++Builder 2007-XE8, HTML5 Builder XE3, RadPHP XE2, Delphi 7, and C++Builder 6) HTML5 BUILDER WEB AND MOBILE APPLICATION DEVELOPMENT HTML5 BUILDER INTEGRATED DEVELOPMENT ENVIRONMENT (IDE) Workflow optimized, context-sensitive user interface focused on improving user productivity Client Deployment wizard for deploying client web applications Multiple new project and file types have been added Client Web Application and Client Page. Develop web applications with client-side technologies that you can run without a webserver. Client Mobile Application and Client Mobile Page. Develop mobile applications with client-side technologies that you can run without a webserver. Mobile Themes. Create themes for your mobile applications easily with HTML5 Builder's visual designer. Project Manager to display and organize the contents of your current project with support for content preview and search. Project Manager view menu for directory (nested), directory (flat) and list view of files in a project. Project Options to allow you select which parameters to send to the running script and other extra options via the Run/Debug drop-down menus. File manipulation and creation through the Project Manager facilities. Multi-select files in the Project Manager IDE Insight always accessible via integrated top level search bar Checkbox for Boolean types in the Object Inspector greatly enhancing readability Web-oriented color property editor to use standard browser colors or custom ones with support for RGBA | H H H H H H H H H H | H H H H H H H H H | |
| product licenses (Delphi 2007 – XE8, C++Builder 2007-XE8, HTML5 Builder XE3, RadPHP XE2, Delphi 7, and C++Builder 6) HTML5 BUILDER WEB AND MOBILE APPLICATION DEVELOPMENT HTML5 BUILDER INTEGRATED DEVELOPMENT ENVIRONMENT (IDE) Workflow optimized, context-sensitive user interface focused on improving user productivity Client Deployment wizard for deploying client web applications Multiple new project and file types have been added Client Web Application and Client Page. Develop web applications with client-side technologies that you can run without a webserver. Client Mobile Application and Client Mobile Page. Develop mobile applications with client-side technologies that you can run without a webserver. Mobile Themes. Create themes for your mobile applications easily with HTML5 Builder's visual designer. Project Manager to display and organize the contents of your current project with support for content preview and search. Project Manager view menu for directory (nested), directory (flat) and list view of files in a project. Project Options to allow you select which parameters to send to the running script and other extra options via the Run/Debug drop-down menus. File manipulation and creation through the Project Manager facilities. Multi-select files in the Project Manager IDE Insight always accessible via integrated top level search bar Checkbox for Boolean types in the Object Inspector greatly enhancing readability Web-oriented color property editor to use standard browser colors or custom ones with support for RGBA for specifying transparency | H H H H H H H H H H H | H H H H H H H H H H | |
| product licenses (Delphi 2007 – XE8, C++Builder 2007-XE8, HTML5 Builder XE3, RadPHP XE2, Delphi 7, and C++Builder 6) HTML5 BUILDER WEB AND MOBILE APPLICATION DEVELOPMENT HTML5 BUILDER INTEGRATED DEVELOPMENT ENVIRONMENT (IDE) Workflow optimized, context-sensitive user interface focused on improving user productivity Client Deployment wizard for deploying client web applications Multiple new project and file types have been added Client Web Application and Client Page. Develop web applications with client-side technologies that you can run without a webserver. Client Mobile Application and Client Mobile Page. Develop mobile applications with client-side technologies that you can run without a webserver. Mobile Themes. Create themes for your mobile applications easily with HTML5 Builder's visual designer. Project Manager to display and organize the contents of your current project with support for content preview and search. Project Manager view menu for directory (nested), directory (flat) and list view of files in a project. Project Options to allow you select which parameters to send to the running script and other extra options via the Run/Debug drop-down menus. File manipulation and creation through the Project Manager facilities. Multi-select files in the Project Manager IDE Insight always accessible via integrated top level search bar Checkbox for Boolean types in the Object Inspector greatly enhancing readability Web-oriented color property editor to use standard browser colors or custom ones with support for RGBA for specifying transparency Improved search features in the editor and with Find tab integration | H H H H H H H H H H H H H | H H H H H H H H H H H H | |

| Feature | Enterprise+ | Professional | Starter |
|---|-------------|--------------|---------|
| Super-fast loading, so you can use it as code editor | Н | Н | |
| Significant all-around IDE performance improvements | Н | Н | |
| History Manager with automatic multi-level file backups, file differencing and restore | Н | Н | |
| IDE Welcome Page – with fast access to recent projects, Embarcadero Developer Network RSS news feeds, documentation, helpful links, updates, Weblogs, and more | Н | Н | |
| Ability to individually customize editor options for particular file types | Н | Н | |
| Symbol Insight – click to navigate to declarations | Н | Н | |
| Tool Palette for easy access RPCL (RadPHP Component Library) components | Н | Н | |
| Tool Palette incremental filtering automatically narrows down component list to find what you need as you type | Н | Н | |
| Context-aware Tool Palette, it shows only the appropriate items depending on what you are editing | Н | Н | |
| Structure Pane to see and navigate the hierarchy of source code, HTML or components displayed in the editor or designer | Н | Н | |
| Object Inspector for visual customization of PHP and AJAX components without writing code; now features subproperties and faster performance | Н | Н | |
| New File Dialog to allow you select the extension of the file to create | Н | Н | |
| Add Folder to Project menu option allows you to add several source files to your project in a single action | Н | Н | |
| Set your default browser and multiple browsers to appear as options under the Run menu | Н | Н | |
| Deployment Wizard helps you isolate the files necessary for your application to run and copies those files to a folder on your computer to make it easy to upload applications to a web server | Н | Н | |
| Documentation Wizard, uses phpdoc to generate the documentation for your product | Н | Н | |
| Find in Files to specify the text you want to locate and to set options that affect the search such as directories, file, case and file extension masks | Н | Н | |
| Internationalization Wizard using gettext() simplifies localization of applications | Н | Н | |
| Integrated web server for easy running applications directly from the IDE | Н | Н | |
| Event log displays error messages from the PHP rendering engine and syntax checker | Н | Н | |
| | | | |
| HTML5 BUILDER MOBILE DEVELOPMENT | | | |
| Easily build web optimized mobile applications and App Store ready apps for iOS, Android, BlackBerry and Windows Phone | Н | Н | |
| Build BlackBerry 10 ready web optimized mobile apps (HTML5 Builder creates a folder structure that requires the latest BlackBerry 10 NDK and node.js) | Н | Н | |
| Build web optimized mobile apps for iOS 6 (HTML5 Builder creates a project file that requires an Intel-based Mac running Mac OS X Lion version 10.7.4 or later with Xcode 4.1 or higher to create a standalone iOS application. Requires PhoneGap 2.8.0 on the Mac) | Н | Н | |
| Build web optimized mobile apps for Android on Froyo (2.2), Gingerbread (2.3), Ice Cream Sandwich (4.0) and Jelly Bean (4.1, 4.2 and 4.3) | Н | Н | |
| Build Windows Phone 8 ready web optimized mobile apps (For Windows Phone 8 apps, HTML5 Builder creates a folder structure that require Windows Phone SDK 7 and Visual Studio 2012) | Н | Н | |
| Large library of built-in drag and drop components for mobile application development | Н | Н | |
| jQuery mobile components: MButton, MPanel, CheckBoxGroup, MRadioGroup, MobileTheme, MEdit, MTextArea, MSlider, MLink, MCollapsible,MToolBar, MToggle, MRadioButton, MCheckBox, MComboBox, MCollapisbleSet, MList, MAccelerometer, MCamera, MCompass, MGeolocation, MNetwork, MContacts, PageEvents, MPageExtraEvents, MDB, MDBTransaction, MFileReader, MFileWriter,MFileEntry, MDirectoryEntry, MDirectoryReader, MFileSystem, MFileTransfer, MCapture, MNotification, MConnection,MDevice | н | н | |
| Additional jQuery Mobile components for use in your mobile applications, including MCanvas, MImage, MLabel, MMap, MMedia, MShape. | Н | Н | |
| Build your mobile applications in the cloud using the integrated PhoneGap Build service. | Н | Н | _ |
| Visual mobile design surface to see how the interface will look on the device | Н | Н | |
| | | | |
| HTML5 BUILDER COMPONENT LIBRARY (RPCL) | | | |
| RPCL components generate validated HTML5 code | Н | Н | |
| Components have been updated to provide separation of HTML, CSS and JavaScript | Н | Н | |
| Improve your pages' tab navigation with the new ActiveControl property that defines which control gets the focus when the page is loaded. | Н | Н | |

| Factors | Enternaine | Drofossional | Ctoutou |
|--|-------------|--------------|---------|
| Feature | Enterprise+ | Professional | Starter |
| CSS3, the third version of the standard stylesheet language, is supported in HTML5 Builder, so you can now get access to advanced style properties on every control | Н | Н | |
| Get rounded corners with BorderRadius. This new property groups all border-related properties, | Н | Н | |
| BoxShadow and TextShadow provide you with shadowing effects for containers and content. | Н | Н | |
| Use gradients to generate the color combinations you need without relying on image files. | Н | Н | |
| Select an InputType for your Edit components, for easy client-side validation. | Н | Н | |
| Use the Canvas component to easily draw 2D and 3D interactive images. | Н | Н | |
| Get and use location data in your web and mobile apps with the Geolocation component. | Н | Н | |
| Play audio and video content using the HTML5 Media component | Н | Н | |
| Existing controls were updated to leverage HTML5: Bevel, ColorPicker, DateTimePicker, ProgressBar, Shape, TrackBar, SpinEdit | Н | Н | |
| Additional properties have been added to existing controls for enhanced functionality | Н | Н | |
| Use controls' draggable property to enable drag and drop implementations. | Н | Н | |
| CSS3 Animations through custom property editors | Н | Н | |
| Quickly transform and animation components | Н | Н | |
| Associate custom animations to your controls' events using their Animations property. | Н | Н | |
| Create a DataList component and link it to a text-input component so the data is provided as an input suggestion. | Н | Н | |
| SVG Image Support. The Image component now supports vector graphics in SVG that you can animate and modify in real time using JavaScript. | Н | Н | |
| Enhanced Color support. Color-based properties now support RGBA values. The fourth color channel, alpha, lets you define a level of transparency for your colors. | Н | Н | |
| HiddenFields is now a property of web and mobile pages, providing an easier and cleaner new approach. | Н | Н | |
| Advanced components including ImageList, TrackBar, ProgressBar, SpinEdit, DateTimePicker, ColorPicker | Н | Н | |
| System components including Timer, BasicAuthentication and StyleSheet | Н | Н | |
| Data Access components including Database, Datasource, Table, Query and StoredProc with support for many databases through PDO | Н | Н | |
| Data Controls components including DBRepeater | Н | Н | |
| Zend Framework components ZACL, ZAuth, ZAuthDB, ZAuthDigest, ZCache, ZMail, ZMailTransportSMTP, ZMailTransportSMTP, ZmailTransportSendmail, ZCaptcha, ZBarcode, ZCurrency, ZDate, ZFile, ZFeedReader, ZFeedWriter, ZPubSubHubBubPublisher, ZGDataAuth, ZGDataCalendar, ZGDataDocs, ZGDataYoutube, ZGDataYoutube, ZGDataHealth, ZGDataSpreadsheets, ZGDataPhotos, ZGDataBooks, ZHttp, ZGDataApps, ZOAuth, ZRegistry, ZJson, ZJsonServer, ZRestServer, ZRestClient, ZOpenIdConsumer, ZOpenIdProvider, ZOpenIdConsumerStorageDB, ZOpenConsumerStorageFile, ZOpenIdProviderStorageDB, ZOpenIdProviderUserSession, ZMarkup and Zlog | Н | Н | |
| Facebook Social Plugins components to allow visual development of social-aspects of Facebook applications including LikeButton, LikeBox, ActivityFeed, and LiveStream | Н | Н | |
| Support for communication components for native Delphi and C++Builder DataSnap applications including DSJavaScriptClient and DSRestConnection | Н | Н | |
| Support for communication components for native Delphi and C++Builder DataSnap applications including DSJavaScriptClient and DSRestConnection | Н | Н | |
| Extend the RPCL (RadPHP Component Library) at any time with third-party libraries, new additions from the RPCL open source project on SourceForge or your own components | Н | Н | |
| Component Writer's Guide with information on building your own components | Н | Н | |
| HTML5 BUILDER CODE EDITOR | | | |
| Customizable source code editor for editing PHP, HTML, JavaScript, CSS, SQL and XML | Н | Н | |
| User configurable Color Syntax Highlighting | Н | Н | |
| Code Insight support for HTML, JavaScript, jQuery and PHP | Н | Н | |
| Help Insight – convenient tooltips provide help snippets as you type | Н | Н | |
| ErrorInsight provides syntax checking as you type so you can easily fix syntax errors on the fly | Н | Н | |
| Code Folding to collapse code blocks for easier viewing and navigation of your PHP code | Н | Н | |
| Sync Edit to modify common identifiers in different locations in your code at the same time | Н | Н | |
| Tracking band visually indicates which lines you have modified / added and which ones were modified on the last save operation | Н | Н | |

| Feature | Enterprise+ | Professional | Starter |
|--|-------------|--------------|---------|
| Macro recording and playback to record a specific set of actions in the code editor and repeat them later | Н | Н | |
| Bookmarks allow you to set a mark on a specific location of your source code and return back later | Н | Н | |
| Code Editor customization options include overwrite mode, group undo, scroll to past line, double click line, | | | |
| undo after save, persistent blocks and overwrite blocks, selecting keymappings and setting undo limit | Н | Н | |
| Configurable Source Options include auto indent mode, use tab character, smart tab cursor through tab, optimal fill, backspace unindents, keep trailing blanks, show tab character, show space character, use syntax highlight, show line breaks, highlight current line, selectable syntax highlighting, block indent level and tab stops | Н | Н | |
| Editor display options include visible right margin, visible gutter, show line numbers number all lines, setting right margin, gutter width, editor font, font size | Н | Н | |
| Keymappings include default, BRIEF, IDE classic, Visual Basic emulation, Visual Studio emulation | Н | Н | |
| CodeInsight options turn on and off code completion, code parameters, error insight, code completion auto parenthesis, code template completion and code browser and enable speed adjustments | Н | Н | |
| Code Templates include 15 pre-built timesaving templates that can easily be inserted into your code | Н | Н | |
| Conversions menu item enables you to select a block of text and convert to all upper-case or all lower-case | Н | Н | |
| Dialogs to add published properties, public properties or publish public properties | Н | Н | |
| Go to Line Number jumps to a line number in the code editor | Н | Н | |
| Options Dialog, faster and with more options | Н | Н | |
| Syntax Check with lint syntax check on the active file, showing results of the syntax checking operation in the messages window | Н | Н | |
| HTML5 BUILDER REFACTORING | | | |
| Includes the following refactorings: Extract Interface, Extract Superclass, Pull Members Up, Push Members Down, Rename, Declare Field, Extract Method, Change Parameters | Н | Н | |
| | | | |
| HTML5 BUILDER INTEGRATED PHP DEBUGGING AND PROFILING | | | |
| Debug your client web application JavaScript code with integrated web developer tools | Н | Н | |
| XDebug integration, faster and more powerful, to find and fix errors | Н | Н | |
| Integrated PHP Profiler to measure runtime performance and help identify bottlenecks down to the line of code | Н | Н | |
| Breakpoint List window to display, enable, or disable breakpoints currently set in the loaded project, and to change the condition, pass count, or group associated with a breakpoint | Н | Н | |
| Breakpoint view with toolbar, in-place editing and enable checkbox | Н | Н | |
| Advanced breakpoints with Tooltips, actions, and groups for complete debugging control | Н | Н | |
| Call Stack window shows a list with the functions called when debugging or when the execution in debug mode is finished | Н | Н | |
| Global Variables window shows the current function's global variables while in debug mode | Н | Н | |
| Local Variables window shows the current function's local variables while in debug mode | Н | Н | |
| Watches window displays the current value of the watch expression based on the scope of the execution point | Н | Н | |
| Expandable watches for arrays and objects | Н | Н | |
| Evaluator tooltips – just place the mouse over an item, and get the evaluation in a hint | Н | Н | |
| Evaluate/Modify, issue function calls or modify values on the fly | Н | Н | |
| Multi-tab watch view for logically grouping variables | Н | Н | |
| Event log view showing messages from the IDE | Н | Н | |
| HTML5 BUILDER DATABASE APPLICATION DEVELOPMENT | | | |
| Powerful Database Connectivity via PDO. This includes support for InterBase, Firebird, DB2, Informix, MySQL, Oracle, PostgreSQL, SQLite and SQL Server | н | н | |
| Data Explorer to add a new connection, modify, delete, or rename your database connections | Н | Н | |
| Support for Embarcadero's InterBase database | Н | Н | |
| Drag and drop from the data explorer to build data-driven applications with no coding | Н | Н | |
| RPCL (RadPHP Component Library) data access components | Н | Н | |
| RPCL data controls components | Н | Н | |
| TWO E data controls components | 11 | 11 | |

| Feature | Enterprise+ | Professional | Starter |
|---|-------------|--------------|---------|
| | | | |
| HTML5 BUILDER DOCUMENTATION | | | |
| New sample projects for HTML5, mobile templates and more | Н | Н | |
| QuickStart Guide to allow you to quickly create your first applications with HTML5 Builder | Н | Н | |
| Documentation has been expanded to include many more tutorials and feature information | Н | Н | |
| Help Browser | Н | Н | |
| Context sensitive online help for the development environment available via F1 in the IDE | Н | Н | |
| Documentation wiki accessible via the online help for the latest doc updates | Н | Н | |
| RPCL class library documentation and code examples | Н | Н | |
| Sample programs with documentation | Н | Н | |
| PHP Reference Guide | Н | Н | |
| Install PHP Reference Guide in your choice of English, German, Japanese, French | Н | Н | |
| | | | |
| HTML5 BUILDER THIRD PARTY | | | |
| TeeChart Lite for HTML5 Builder plots charts to all compatible browsers in native JavaScript format using the HTML5 Canvas element. Charts can be added at design-time to Web Server, Web Client and Web Mobile pages, and programmed in both PHP and JavaScript languages. | Н | Н | |